OCPP 1.6 Subset Certificate



Certificate holder: CS Technology

Certificate number: OCA.0016.0250.CS

Product type: Charging Station

Product designation: EVQ-50D

OCPP Software version: 1.0.3

Hardware feature set as stated below

Certification date: December 6, 2022

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, December 6, 2022	KSGA_20221206_Test Report CSTechnology_EVQ-50D

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON



Abstract of test report

Test Result Summary

Test Report	OCPP 1.6	Certification	
Test laboratory:	Korea Smart	Grid Association	
Location:	Seoul , Korea		
Test Report Reference:	KSGA-OCPP1.6TEST-141-2022		
Vendor name:	CS Technolog	IV	
Device Under Test:	Charging Stat		
Communication:	JSON		
OCPP Software version:	1.0.3		
Test Result Summary	y for the ce	rtified functionalities	
Functionalities	OCPP 1.6	Description	
	Certification		
	Test Results		
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.	
Optional features			
Firmware Management	N/A	Support for (remote) firmware update management and diagnostic log file download.	
Smart Charging	N/A	Support for Smart Charging (all profile types, including stacking), to control charging.	
Reservation	N/A	Support for reservation of a connector of a Charging Station.	
Local Authorization List Manageme	N/A	Features to manage a local list in the charging station containing authorization data for whitelisting users.	
Remote Trigger	N/A	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.	



Performance Measurement Results

Performance Measurement Results			
Name	PICS value	Measured value	Description
OCPP triggered function timeout:	90s	00:01:22	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	5s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	5s	00:00:00	The response time for the RemoteStartTransaction message.

Test Configuration

Test Configuration

Vendor	CS Technology
DUT / SUT	Charging Station
Communication	JSON
Туре	EVQ-50D
OCPP Software version	1.0.3
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set			
Feature Configuration			
Socket(s) / connector(s)	Multiple		
Fixed cable	<yes></yes>		
Communication technology	Ethernet		
RFID readers	Single		

Non-OCPP Charge Point Configuration			
Configuration key	Value		
<>	<>		

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:			
Limit / setting	Value		
Device supports sending milliseconds in timestamps.	Yes		



OCPP Charging Station Configuration			
Configuration key	Yalue		
AllowOfflineTxForUnknownId	TRUE		
AuthorizationCacheEnabled	TRUE		
AuthorizeRemoteTxRequests	TRUE		
BlinkRepeat	-		
ClockAlignedDataInterval	15		
Connection TimeOut	60		
ConnectorPhaseRotation	NotApplicable		
ConnectorPhaseRotationMaxLength			
GetConfigurationMaxKeys	20		
HeartbeatInterval	30		
LightIntensity			
LocalAuthorizeOffline	TRUE		
LocalPreAuthorize	TRUE		
MaxEnergyOnInvalidId	-		
MessageTimeout			
MeterValuesAlignedData	Energy.Active.Import.Register		
MeterValuesAlignedDataMaxLength	20		
MeterValuesSampledData	Energy.Active.Import.Register		
MeterValuesSampledDataMaxLength	20		
MeterValueSampleInterval	15		
MinimumStatusDuration			
NumberOfConnectors	2		
ResetRetries	3		
StopTransactionMaxMeterValues	20,000		
StopTransactionOnEVSideDisconnect	FALSE		
StopTransactionOnInvalidId	TRUE		
StopTxnAlignedData			
StopTxnAlignedDataMaxLength	20		
StopTxnSampledData	-		
StopTxnSampledDataMaxLength	20		
SupportedFeatureProfiles	Core		
SupportedFeatureProfilesMaxLength	-		
TransactionMessageAttempts	3		
TransactionMessageRetryInterval	10		
UnlockConnectorOnEVSideDisconnect	FALSE		
WebSocketPingInterval	60		
LocalAuthListEnabled			
LocalAuthListMaxLength	-		
SendLocalListMaxLength			
ReserveConnectorZeroSupported	-		
ChargeProfileMaxStackLevel			
ChargingScheduleAllowedChargingRateUnit	-		
ChargingScheduleMaxPeriods	-		
ConnectorSwitch3to1PhaseSupported	-		
MaxChargingProfilesInstalled			
SupportedFileTransferProtocols			



Statement of Approval

Vendor		Date: 2022.12.06
Name	Hyosung AHN	Signature
Company	CS Technology	1 _
Department	R&D Center	
Position	Director	190
Location	Incheon, Korea	

Test laboratory			Date : 2022.12.06
Name	Philip YANG		Signature
Company	Korea Smart Grid Association		4
Department	Quality Certification Center		
Position	Senior Researcher		
Location	Seoul, Korea		