OCPP 1.6 Subset Certificate



Certificate holder: JoongAng Control Co., Ltd

Certificate number: OCA.0016.0262.CS

Product type: Charging Station

Product designation: JC-9A31-30-CU

OCPP Software version: 0.0.1

Hardware feature set as stated below

Certification date: January 11, 2023

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, January 11, 2023	KSGA_20230111_Test Report_JoongAng Control Co., Ltd_ JC-9A31-30-CU

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON



Abstract of test report

Test Result Summary

Test Report OCPP 1.6 Certification				
Test laboratory: Korea Smart Grid Association				
Location:	Seoul , Korea			
Test Report Reference: KSGA-OCPP1.6TEST-007-2023				
Vendor name:	JoongAng Control Co., Ltd			
Device Under Test: Charging Station				
Communication: JSON				
OCPP Software version:	0.0.1			

Test Result Summary for the certified functionalities OCPP 1.6 Description Certification Test Results Core Pass Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.

Optional features		
Firmware Management	N/A	Support for (remote) firmware update management and diagnostic log file download.
Smart Charging	N/A	Support for Smart Charging (all profile types, including stacking), to control charging.
Reservation	N/A	Support for reservation of a connector of a Charging Station.
Local Authorization List Managemer	N/A	Features to manage a local list in the charging station containing authorization data for whitelisting users.
Remote Trigger	N/A	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.

Page 1 from 4



Performance Measurement Results

Performance Measurement Results				
Name	PICS value	Measured value	Description	
OCPP triggered function timeout:	100s	0:01:30	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)	
OCPP response timeout:	30s	00:00:01	The response time for when waiting for an OCPP response message.	
Response time RemoteStartTransaction:	30s	00:00:00	The response time for the RemoteStartTransaction message.	

Test Configuration

Te		_		p=						
- 1 0	C P	6 0	6 B/9 4	м	CII	ш	P 35	9-1		м
1 0	36	-	7 1 1 1		-11	- I	S.I	ы	U	

Vendor	JoongAng Control Co., Ltd
DUT / SUT	Charging Station
Communication	JSON
Туре	JC-9A31-30-CU
OCPP Software version	0.0.1
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set				
Feature Configuration				
Socket(s) / connector(s)	Single			
Fixed cable	<yes></yes>			
Communication technology	Wifi, Ethernet			
RFID readers	Single			

Non-OCPP Charge Point Configuration			
Configuration key		Value	
<>		<>	

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:			
Limit / setting Value			
Device supports sending milliseconds in timestamps.	Yes		

Page 2 from 4



OCPP Charging Statio	n Configuration
Configuration key	Yalue
AllowOfflineTxForUnknownId	TRUE
AuthorizationCacheEnabled	TRUE
AuthorizeRemoteTxRequests	TRUE
BlinkRepeat	
ClockAlignedDataInterval	15
Connection TimeOut	60
ConnectorPhaseRotation	BST
ConnectorPhaseRotationMaxLength	-
GetConfigurationMaxKeys	3
HeartbeatInterval	20
LightIntensity	-
Local Authorize Offline	TRUE
LocalPreAuthorize	TRUE
MaxEnergyOnInvalidId	-
MessageTimeout	_
MeterValuesAlignedData	Energy.Active.Import.Register
MeterValuesAlignedDataMaxLength	8
r-rever r aldes mighted battartar bength	Current.Import, Current.Offered
	Energy.Active.Import.Register,
MeterValuesSampledData	
	Power.Active.Import,
RANKO Walton of Community Afficial Afficial and and an only	Power.Offered, SoC, Voltage
MeterValuesSampledDataMaxLength	8
MeterValueSampleInterval	15
MinimumStatusDuration	<u> </u>
NumberOfConnectors	1
ResetRetries	3
StopTransactionMaxMeterValues	
StopTransactionOnEVSideDisconnect	TRUE
StopTransactionOnInvalidId	TRUE
	Current.Import, Current.Offered
	Energy.Active.Import.Register,
StopTxnAlignedData	Energy.Active.Import.Interval,
	Power.Active.Import,
	Power.Offered, SoC, Voltage
StopTxnAlignedDataMaxLength	8
	Current.Import, Current.Offered
StopTxnSampledData	Energy.Active.Import.Register,
one in the second	Power.Active.Import,
	Power.Offered, SoC, Voltage
StopTxnSampledDataMaxLength	8
SupportedFeatureProfiles	Core
SupportedFeatureProfilesMaxLength	6
TransactionMessageAttempts	2
TransactionMessageRetryInterval	30
UnlockConnectorOnEVSideDisconnect	FALSE
WebSocketPingInterval	0
LocalAuthListEnabled	
LocalAuthListMaxLength	
SendLocalListMaxLength	-
ReserveConnectorZeroSupported	
·	
ChargeProfileMaxStackLevel	-
ChargingScheduleAllowedChargingRateUnit	-
ChargingScheduleMaxPeriods	-
ConnectorSwitch3to1PhaseSupported	-
MaxChargingProfilesInstalled	•
SupportedFileTransferProtocols	-

Page 3 from 4



Statement of Approval

Vendor		Date: 2023.01.11
Name	Su-jin Kim	Signature
Company	JoongAng Control Co., Ltd	,
Department	Software convergence team	4
Position Researcher		
Location	Goyang, Korea	,

Test laboratory		Date : 2023.01.11
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	ام
Department	Quality Certification Center	
Position	Senior Researcher	
Location	Seoul, Korea	/