OCPP 1.6 Full Certificate



Certificate holder:	EVSIS Co., Ltd
Certificate number:	OCA.0016.0299.CS
Product type:	Charging Station
Product designation:	JC-9932-100-CU OCPP Software version: 0.0.1 Hardware feature set as stated below
Certification date:	March 24, 2023

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol are also covered by this certification.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, March 24, 2023	(KSGA)EVSIS_Test Report template_JC-9932-100-CU_230324

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON Chairman



Abstract of test report

Test Result Summary

Test Report	OCPP 1.6	Certification	
Test laboratory: Location:	Korea Smart Grid Association		
	Seoul , Korea KSGA-OCPP1.6TEST-041-2023		
Test Report Reference:	KSGA-OCPP1.0	51E51-041-2023	
Vendor name:	EVSIS Co.,Ltd.		
Device Under Test:	Charging Stat	ion	
Communication:	JSON		
OCPP Software version:	0.0.1		
Test Result Summary	/ for the ce	ertified functionalities	
Functionalities	OCPP 1.6 Certification Test Results	Description	
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.	
Optional features			
Firmware Management	Pass	Support for (remote) firmware update management and diagnostic log file download.	
Smart Charging	Pass	Support for Smart Charging (all profile types, including stacking), to control charging.	
Reservation	Pass	Support for reservation of a connector of a Charging Station.	
Local Authorization List Managemen	Pass	Features to manage a local list in the charging station containing authorization data for whitelisting users.	
Remote Trigger	Pass	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.	



Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	120s	0:01:44	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	30s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	30s	00:00:00	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	EVSIS Co.,Ltd.
DUT / SUT	Charging Station
Communication	JSON
Туре	JC-9932-100-CU
OCPP Software version	0.0.1
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set			
Feature	Configuration		
Socket(s) / connector(s)	Single		
Fixed cable	<yes></yes>		
Communication technology	Ethernet		
RFID readers	Single		
Non-OCPP Charge Point Configuration			
Configuration key	Value		
<>	<>		

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:

Limit / setting	Value
Device supports sending milliseconds in timestamps.	Yes

Page 2 from 4



OCPP Charging Station Configuration			
Configuration key	Value		
AllowOfflineTxForUnknownId	FALSE		
AuthorizationCacheEnabled	FALSE		
AuthorizeRemoteTxRequests	TRUE		
BlinkRepeat	-		
ClockAlignedDataInterval	-		
ConnectionTimeOut	30		
ConnectorPhaseRotation	RST		
ConnectorPhaseRotationMaxLength	-		
GetConfigurationMaxKeys	3		
HeartbeatInterval	20		
LightIntensity	-		
LocalAuthorizeOffline	TRUE		
LocalPreAuthorize	TRUE		
MaxEnergyOnInvalidId	-		
MessageTimeout	-		
MeterValuesAlignedData	Energy.Active.Import.Register		
MeterValuesAlignedDataMaxLength	8		
	Current.Import, Current.Offered,		
	Energy.Active.Import.Register,		
MeterValuesSampledData	Power. Active. Import, Power. Offered,		
	SoC, Voltage		
MeterValuesSampledDataMaxLength	8		
MeterValueSampleInterval	10		
MinimumStatusDuration	-		
NumberOfConnectors	1		
ResetRetries	3		
StopTransactionMaxMeterValues			
StopTransactionOnEVSideDisconnect	TRUE		
StopTransactionOnInvalidId	TRUE		
	Current.Import, Current.Offered,		
	Energy.Active.Import.Register,		
StopTxnAlignedData	Energy.Active.Import.Interval,		
	Power. Active. Import, Power. Offered,		
	SoC, Voltage		
StopTxnAlignedDataMaxLength	8		
	Current.Import, Current.Offered,		
Stee Tue Semelad Data	Energy.Active.Import.Register,		
StopTxnSampledData	Power.Active.Import, Power.Offered,		
	SoC, Voltage		
StopTxnSampledDataMaxLength	8		
	Core,FirmwareManagement,LocalA		
SupportedFeatureProfiles	uthListManagement,Reservation,S		
	martCharging,RemoteTrigger		
SupportedFeatureProfilesMaxLength	6		
TransactionMessageAttempts	2		
	30		
UnlockConnectorOnEVSideDisconnect	TRUE		
WebSocketPingInterval	0		
LocalAuthListEnabled	FALSE		
LocalAuthListMaxLength	100000		
SendLocalListMaxLength	100		
ReserveConnectorZeroSupported	TRUE		
ChargeProfileMaxStackLevel	5		
ChargingScheduleAllowedChargingRateUnit	Current		
ChargingScheduleMaxPeriods	24		

Page **3** from **4**

ChargingScheduleMaxPeriods ConnectorSwitch3to1PhaseSupported

MaxChargingProfilesInstalled SupportedFileTransferProtocols 24 -7

ftp, http



Statement of Approval

Vendor		Date: 2023.03.24	
Name	Su-jin Kim	Signature	
Company	EVSIS Co.,Ltd.		
Department	Software convergence team	L	
Position	Researcher		
Location	Goyang, Korea		

Test laboratory		Date: 2023.03.24
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	14
Department	Quality Certification Center	1
Position	Chief Researcher	
Location	Seoul, Korea	

Page **4** from **4**