# OCPP 1.6 Subset Certificate



Certificate holder:	Pline Motors Co.,Ltd	
Certificate number:	OCA.0016.0305.CS	
Product type:	Charging Station	
Product designation:	PCD36-02 OCPP Software version: 12A_10_1.2.00 Hardware feature set as stated below	
Certification date:	March 29, 2023	

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, March 29, 2023	(KSGA)Pline Motors_Test Report template_PCD36-02_230329

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

**ONOPH CARON** Chairman



# Abstract of test report

#### Test Result Summary

Test Report	OCPP 1.6	Certification	
Test laboratory:	Korea Smart	Grid Association	
Location:	Seoul , Korea		
Test Report Reference:	KSGA-OCPP1.6TEST-047-2023		
Vendor name:	<b>Pline Motors</b>	Co.,Ltd	
Device Under Test:	Charging Stat	ion	
Communication:	JSON		
OCPP Software version:	12A_10_1.2.0	0	
Test Result Summary	y for the ce	rtified functionalities	
Functionalities	OCPP 1.6	Description	
	Certification		
	Test Results		
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.	
Optional features			
Firmware Management	N/A	Support for (remote) firmware update management and diagnostic log file download.	
Smart Charging	N/A	Support for Smart Charging (all profile types, including stacking), to control charging.	
Reservation	N/A	Support for reservation of a connector of a Charging Station.	
Local Authorization List Manageme	N/A	Features to manage a local list in the charging station containing authorization data for whitelisting users.	
Remote Trigger	N/A	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.	

# Page **1** from **4**



#### Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	90s	00:01:19	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	60s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	60s	00:00:00	The response time for the RemoteStartTransaction message.

#### Test Configuration

Vendor	Pline Motors Co.,Ltd
DUT / SUT	Charging Station
Communication	JSON
Туре	PCD36-02
OCPP Software version	12A_10_1.2.00
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set				
Feature Configuration				
Socket(s) / connector(s)	Multiple			
Fixed cable	<yes></yes>			
Communication technology	Wifi, Ethernet, Mobile network			
RFID readers	Single			

## Non-OCPP Charge Point Configuration

Configuration key	Value
<>	<>

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:

Limit / setting	Value
Device supports sending milliseconds in timestamps.	Yes

Page 2 from 4



OCPP Charging Station Configuration			
Configuration key	Value		
AllowOfflineTxForUnknownId	-		
AuthorizationCacheEnabled	-		
AuthorizeRemoteTxRequests	TRUE		
BlinkRepeat	-		
ClockAlignedDataInterval	300		
ConnectionTimeOut	30		
ConnectorPhaseRotation	Unknown		
ConnectorPhaseRotationMaxLength	-		
GetConfigurationMaxKeys	20		
HeartbeatInterval	20		
LightIntensity	-		
LocalAuthorizeOffline	TRUE		
LocalPreAuthorize	TRUE		
MaxEnergyOnInvalidId	-		
MessageTimeout			
	-		
MeterValuesAlignedData	- 10		
MeterValuesAlignedDataMaxLength	12		
MeterValuesSampledData	-		
MeterValuesSampledDataMaxLength	12		
MeterValueSampleInterval	300		
MinimumStatusDuration	-		
NumberOfConnectors	2		
ResetRetries	3		
StopTransactionMaxMeterValues	99999999.999		
StopTransactionOnEVSideDisconnect	TRUE		
StopTransactionOnInvalidId	TRUE		
StopTxnAlignedData	-		
StopTxnAlignedDataMaxLength	12		
StopTxnSampledData	-		
StopTxnSampledDataMaxLength	12		
SupportedFeatureProfiles	Core		
SupportedFeatureProfilesMaxLength	-		
TransactionMessageAttempts	1		
	30		
UnlockConnectorOnEVSideDisconnect	FALSE		
WebSocketPingInterval	60		
LocalAuthListEnabled	-		
LocalAuthListMaxLength	-		
LocalAuthListMaxLength SendLocalListMaxLength	-		
SendLocalListMaxLength			
SendLocalListMaxLength ReserveConnectorZeroSupported			
SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel			
SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel ChargingScheduleAllowedChargingRateUnit	- - - - -		
SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel ChargingScheduleAllowedChargingRateUnit ChargingScheduleMaxPeriods			
SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel ChargingScheduleAllowedChargingRateUnit ChargingScheduleMaxPeriods ConnectorSwitch3to1PhaseSupported	- - - - -		
SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel ChargingScheduleAllowedChargingRateUnit ChargingScheduleMaxPeriods	- - - - -		

# Page **3** from **4**



## Statement of Approval

Vendor		Date: 2023.03.29
Name	Hobum Hong	Signature
Company	Pline Motors Co.,Ltd	1
Department	Quality Assurance Team	
Position	Team Manager	Illa
Location	Seoul, Korea	

Test laboratory		Date: 2023.03.29
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	4
Department	Quality Certification Center	
Position	Chief Researcher	
Location	Seoul, Korea	

Page **4** from **4**