OCPP 1.6 Subset Certificate



Certificate holder: AppleMango Co., Ltd

Certificate number: OCA.0016.0310.CS

Product type: Charging Station

Product designation: EVS007SK-PK

OCPP Software version: 3.00.00

Hardware feature set as stated below

Certification date: March 31, 2023

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, March 31, 2023	(KSGA)APPLEMANGO_Test Report template_EVS007SK-PK_230331

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON



Abstract of test report

Test Result Summary

it Summary				
Test Report	OCPP 1.6	Certification		
Test laboratory:	Korea Smart Grid Association			
Location:	Seoul , Korea			
Test Report Reference:	KSGA-OCPP1.	6TEST-050-2023		
Vendor name:	APPLEMANG	O CO.,LTD		
Device Under Test:	Charging Stat	ion		
Communication:	JSON			
OCPP Software version:	3.00.00			
Test Result Summary	for the ce	ertified functionalities		
Functionalities	OCPP 1.6	Description		
	Certification			
	Test Results			
Core	Pass	Basic Charging Station functionality for		
		booting, authorization (incl. cache if		
		available), configuration, transactions,		
		remote control.		
Optional features				
Firmware Management	N/A	Support for (remote) firmware update		
		management and diagnostic log file		
		download.		
Smart Charging	N/A	Support for Smart Charging (all profile		
		types, including stacking), to control		
		charging.		
Reservation	N/A	Support for reservation of a connector		
		of a Charging Station.		
Local Authorization List Managemen	_			
Local Authorization List Managemen	Pass	Features to manage a local list in the		
		charging station containing		
		authorization data for whitelisting users.		
Remote Trigger	N/A	Support for remotely triggering		
55	1.77	messages that originate from a		
		Charging Station. This can be used for		
		resending messages or for getting the		
		latest information from the Charging		
		- ·		

Page 1 from 4

Station.



Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	60s	00:00:11	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	60s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	60s	00:00:00	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	APPLEMANGO CO.,LTD
DUT / SUT	Charging Station
Communication	JSON
Туре	EVS007SK-PK
OCPP Software version	3.00.00
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set			
Feature Configuration			
Socket(s) / connector(s)	Single		
Fixed cable	<yes></yes>		
Communication technology	Ethernet		
RFID readers	Single		

Non-OCPP Charge Point Configuration			
Configuration key	Value		
<>	<>		

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:

Limit / setting

Limit / setting	value
Device supports sending milliseconds in timestamps.	Yes



OCPP Charging Station	Configuration
Configuration key	Value
AllowOfflineTxForUnknownId	TRUE
AuthorizationCacheEnabled	-
AuthorizeRemoteTxRequests	TRUE
BlinkRepeat	-
ClockAlignedDataInterval	0
Connection TimeOut	60
ConnectorPhaseRotation	NotApplicable
ConnectorPhaseRotationMaxLength	-
GetConfigurationMaxKeys	21
HeartbeatInterval	20
LightIntensity	-
Local Authorize Offline	TRUE
LocalPreAuthorize	FALSE
MaxEnergyOnInvalidId	-
MessageTimeout	-
	Current.Import, Current.Offered,
	Energy.Active.Import.Register,
MeterValuesAlignedData	Energy.Active.Import.Interval,
1-leter value 5-liighe a Data	Power Offered, SoC, Temperature.
Meter)/aluec é lignedDataMaul coath	Voltage
MeterValuesAlignedDataMaxLength	Current Impact Current Offered
	Current.Import, Current.Offered,
	Energy.Active.Import.Register,
MeterValuesSampledData	Energy.Active.Import.Interval,
	Power.Offered, SoC, Temperature,
	Voltage
MeterValuesSampledDataMaxLength	-
MeterValueSampleInterval	20
MinimumStatusDuration	-
NumberOfConnectors	1
ResetRetries	1
StopTransactionMaxMeterValues	-
StopTransactionOnEVSideDisconnect	TRUE
StopTransactionOnInvalidId	TRUE
	Current.Import, Current.Offered,
	Energy.Active.Import.Register,
StopTxnAlignedData	Energy.Active.Import.Interval,
	Power.Offered, SoC, Temperature,
	Voltage
StopTxnAlignedDataMaxLength	_
	Current.Import, Current.Offered,
	Energy.Active.Import.Register,
StopTxnSampledData	Energy.Active.Import.Interval,
	Power.Offered, SoC, Temperature,
	Voltage
StopTxnSampledDataMaxLength	-
SupportedFeatureProfiles	Core, LocalAuthListManagement
SupportedFeatureProfilesMaxLength	-
TransactionMessageAttempts	3
TransactionMessageRetryInterval	30
UnlockConnectorOnEVSideDisconnect	TRUE
	-
WebSocketPingInterval	
WebSocketPingInterval	FALSE
LocalAuthListEnabled	
LocalAuthListEnabled LocalAuthListMaxLength	1000000
LocalAuthListEnabled	
LocalAuthListEnabled LocalAuthListMaxLength	1000000
Local Auth List Enabled Local Auth List Max Length Send Local List Max Length	1000000
Local AuthList Enabled Local AuthList Max Length Send Local List Max Length Reserve Connector Zero Supported	1000000
LocalAuthListEnabled LocalAuthListMaxLength SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel	1000000 1000 -
LocalAuthListEnabled LocalAuthListMaxLength SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel ChargingScheduleAllowedChargingRateUnit	1000000 1000 - -
LocalAuthListEnabled LocalAuthListMaxLength SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel ChargingScheduleAllowedChargingRateUnit ChargingScheduleMaxPeriods	1000000 1000 - - - - -
LocalAuthListEnabled LocalAuthListMaxLength SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel ChargingScheduleAllowedChargingRateUnit ChargingScheduleMaxPeriods ConnectorSwitch3to1PhaseSupported	1000000 1000 - - - -
LocalAuthListEnabled LocalAuthListMaxLength SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel ChargingScheduleAllowedChargingRateUnit ChargingScheduleMaxPeriods	1000000 1000 - - - - -

Page **3** from **4**



Statement of Approval

Vendor			Date: 2023.03.31
Name	Dong Ju Kang		Signature
Company	AppleMango CO.,LTD		
Department			TERENZ
Position	CEO	Г	事表现
Location	Pyeongtaek-si, Gyeonggi-do, Korea	Γ	

Test laboratory			Date : 2023.03.31
Name	Philip YANG		Signature
Company	Korea Smart Grid Association		4
Department	Quality Certification Center		
Position	on Chief Researcher		A.
Location	Seoul, Korea		/