OCPP 1.6 Subset Certificate



Certificate holder: Pline Motors Co.,Ltd

Certificate number: OCA.0016.0363.CS

Product type: Charging Station

Product designation: NE-R30

OCPP Software version: 1.0.4.8

Hardware feature set as stated below

Certification date: May 25, 2023

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, May 25, 2023	(KSGA)Pline Motors_Test Report template_NE-R30_230525

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON



Abstract of test report

Test Result Summary

lest Report	OCPP 1.6	Certification	
Test laboratory:	Korea Smart	Grid Association	
Location:	Seoul , Korea		
Test Report Reference:	KSGA-OCPP1.6TEST-078-2023		
Vendor name:	Pline Motors Co.,Ltd		
Device Under Test:	Charging Stat	ion	
Communication:	JSON		
OCPP Software version:	1.0.4.8		
Test Result Summary	for the ce	ertified functionalities	
Functionalities	OCPP 1.6	Description	
	Certification		
	Test Results		
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.	
Optional features			
Firmware Management	Pass	Support for (remote) firmware update management and diagnostic log file download.	
Smart Charging	N/A	Support for Smart Charging (all profile types, including stacking), to control charging.	
Reservation	N/A	Support for reservation of a connector of a Charging Station.	
Local Authorization List Managemen	N/A	Features to manage a local list in the charging station containing authorization data for whitelisting users.	
Remote Trigger	N/A	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.	

Test Report OCPP 1.6 Certification

Page 1 from 4



Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	60s	00:00:29	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	10s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	10s	00:00:00	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	Pline Motors Co.,Ltd		
DUT / SUT	Charging Station		
Communication	JSON		
Туре	NE-R30		
OCPP Software version	1.0.4.8		
OCTT version	OCTT 1.6 v1.4.3		

Hardware feature set			
Feature Configuration			
Socket(s) / connector(s)	Single		
Fixed cable	<yes></yes>		
Communication technology	Ethernet, Mobile network		
RFID readers	Single		

Non-OCPP Charge Point Configuration			
Configuration key		Value	
<>		<>	

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:			
Limit / setting Value			
Device supports sending milliseconds in timestamps. Yes			



OCPP Charging Station Configuration			
Configuration key	Value		
Allow Offline TxFor UnknownId	-		
AuthorizationCacheEnabled	-		
AuthorizeRemoteTxRequests	TRUE		
BlinkRepeat	3		
ClockAlignedDataInterval	20		
Connection TimeOut	30		
ConnectorPhaseRotation	-		
ConnectorPhaseRotationMaxLength	-		
GetConfigurationMaxKeys	20		
HeartbeatInterval	300		
LightIntensity	80		
LocalAuthorizeOffline	FALSE		
LocalPreAuthorize	FALSE		
MaxEnergyOnInvalidId	5000		
MessageTimeout	-		
MeterValuesAlignedData	-		
MeterValuesAlignedDataMaxLength	7		
MeterValuesSampledData	<u>-</u>		
MeterValuesSampledDataMaxLength	7		
MeterValueSampleInterval	20		
MinimumStatusDuration	0		
NumberOfConnectors	1		
ResetBetries	3		
StopTransactionMaxMeterValues	9999999999999		
StopTransactionOnEVSideDisconnect	TRUE		
StopTransactionOnInvalidId	TRUE		
StopTxnAlignedData	THOE		
StopTxnAlignedDataMaxLength	- 12		
StopTxnSampledData	I2 -		
StopTxnSampledDataMaxLength	12		
SupportedFeatureProfiles	Core		
SupportedFeatureProfilesMaxLength	core		
TransactionMessageAttempts	3		
TransactionMessageRetryInterval			
UnlockConnectorOnEVSideDisconnect	30 FALSE		
WebSocketPingInterval	540		
	340		
LocalAuthListEnabled	-		
LocalAuthListMaxLength	-		
SendLocalListMaxLength	-		
ReserveConnectorZeroSupported	-		
ChargeProfileMaxStackLevel	-		
ChargingScheduleAllowedChargingRateUnit	-		
ChargingScheduleMaxPeriods	-		
ConnectorSwitch3to1PhaseSupported	-		
MaxChargingProfilesInstalled	-		
SupportedFileTransferProtocols	http,ftp		

Page 3 from 4



Statement of Approval

Vendor			Date: 2023.05.25
Name	Hobum Hong		Signature
Company	Pline Motors Co.,Ltd	Г	
Department	Quality Assurance Team		
Position	Team Manager		
Location	Seoul, Korea		

Test laboratory		Date : 2023.05.25
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	la
Department	Quality Certification Center	
Position	Chief Researcher	
Location	Seoul, Korea	,