# OCPP 1.6 Subset Certificate



Certificate holder: Manageon Co., Ltd

Certificate number: OCA.0016.0387.CS

Product type: Charging Station

Product designation: MACC7K

OCPP Software version: 1.0.1

Hardware feature set as stated below

Certification date: June 2, 2023

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, June 2, 2023	(KSGA)MANAGEON_Test Report template_MACC7K_230602

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON



# **Abstract of test report**

Remote Trigger

### Test Result Summary

Test laboratory:	Korea Smart Grid Association		
Location:	Seoul , Korea		
Test Report Reference:	KSGA-OCPP1.6TEST-101-2023		
Vendor name:	Manageon Co., Ltd (KODRM)		
Device Under Test:	Charging Stat	ion	
Communication:	JSON		
OCPP Software version:	1.0.1		
Test Result Summary	y for the ce	ertified functionalities	
Functionalities	OCPP 1.6	Description	
	Certification		
	Test Results		
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.	
Optional features			
Firmware Management	N/A	Support for (remote) firmware update management and diagnostic log file download.	
Smart Charging	N/A	Support for Smart Charging (all profile types, including stacking), to control charging.	
Reservation	N/A	Support for reservation of a connector of a Charging Station.	
Local Authorization List Managemen	N/A	Features to manage a local list in the charging station containing authorization data for whitelisting	

**Test Report OCPP 1.6 Certification** 

Page 1 from 4

Station.

N/A

Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging



## Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	30s	00:00:17	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	10s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	10s	00:00:01	The response time for the RemoteStartTransaction message.

## Test Configuration

Vendor	Manageon Co., Ltd (KODRM)	
DUT / SUT	Charging Station	
Communication	JSON	
Туре	MACC7K	
OCPP Software version	1.0.1	
OCTT version	OCTT 1.6 v1.4.3	

Hardware feature set			
Feature	Configuration		
Socket(s) / connector(s)	Single		
Fixed cable	<yes></yes>		
Communication technology	Ethernet		
RFID readers	Single		

Non-OCPP Charge Point Configuration			
Configuration key	Value		
<>	<>		

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:		
Limit / setting	Value	
Device supports sending milliseconds in timestamps.	Yes	



OCPP Charging St	ation Configuration
Configuration key	Value
AllowOfflineTxForUnknownId	-
AuthorizationCacheEnabled	-
AuthorizeRemoteTxRequests	FALSE
BlinkRepeat	0
ClockAlignedDataInterval	20
ConnectionTimeOut	30
ConnectorPhaseRotation	NotApplicable
ConnectorPhaseRotationMaxLength	100
GetConfigurationMaxKeys	20
HeartbeatInterval	20
LightIntensity	0
LocalAuthorizeOffline	FALSE
LocalPreAuthorize	FALSE
MaxEnergyOnInvalidId	0
MessageTimeout	-
MeterValuesAlignedData	Energy. Active. Import. Register
MeterValuesAlignedDataMaxLength	100
MeterValuesSampledData	Energy, Active.Import.Register
MeterValuesSampledDataMaxLength	100
MeterValueSampleInterval	300
MinimumStatusDuration	0
NumberOfConnectors	1
ResetRetries	0
StopTransactionMaxMeterValues	2.147.483.647
StopTransactionOnEVSideDisconnect	TRUE
StopTransactionOnInvalidId	FALSE
StopTxnAlignedData	Energy, Active.Import.Register
StopTxnAlignedDataMaxLength	100
StopTxnSampledData	Energy. Active. Import. Register
StopTxnSampledDataMaxLength	100
SupportedFeatureProfiles	Core
SupportedFeatureProfilesMaxLength	100
TransactionMessageAttempts	0
TransactionMessageRetryInterval	0
UnlockConnectorOnEVSideDisconnect	FALSE
WebSocketPingInterval	0
	ů
LocalAuthListEnabled	-
LocalAuthListMaxLength	-
SendLocalListMaxLength	-
ReserveConnectorZeroSupported	-
ChargeProfileMaxStackLevel	-
ChargingScheduleAllowedChargingRateUnit	-
ChargingScheduleMaxPeriods	-
ConnectorSwitch3to1PhaseSupported	-
MaxChargingProfilesInstalled	-
SupportedFileTransferProtocols	-

Page 3 from 4



## Statement of Approval

Vendor		Date: 2023.06.02
Name	LEE NAE HUN	Signature
Company	Manageon Co., Ltd.	
Department	Headquarters	u m
Position	CEO	my
Location	Incheon, Korea	

Test laboratory			Date: 2023.06.02
Name	Philip YANG		Signature
Company	Korea Smart Grid Association	la	
Department	Quality Certification Center		
Position Chief Researcher			
Location	Seoul, Korea		