OCPP 1.6 Subset Certificate



Certificate holder: HiEV Charger

Certificate number: OCA.0016.0478.CS

Product type: Charging Station

Product designation: EVW007SL-SK

OCPP Software version: 1.01

Certification date: August 22, 2023

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, August 22, 2023	(KSGA)HiEV Charger_Test Report template_EVW007SL-SK_230822

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON

Chairman



Abstract of test report

Test Result Summary

Test Report	OCPP 1.6	Certification	
Test laboratory:	Korea Smart	Grid Association	
Location:	Seoul , Korea		
Test Report Reference:	KSGA-OCPP1.6TEST-154-2023		
Vendor name:	HiEV Charger		
Device Under Test:	Charging Station		
Communication:	JSON		
OCPP Software version:	1,01		
Test Result Summary	for the ce	ertified functionalities	
Functionalities	OCPP 1.6	Description	
	Certification		
	Test Results		
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.	
Optional features			
Firmware Management	N/A	Support for (remote) firmware update management and diagnostic log file download.	
Smart Charging	N/A	Support for Smart Charging (all profile types, including stacking), to control charging.	
Reservation	N/A	Support for reservation of a connector of a Charging Station.	
Local Authorization List Management	N/A	Features to manage a local list in the charging station containing authorization data for whitelisting users.	
Remote Trigger	N/A	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.	

Page 1 from 4



Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	180s	00:00:06	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	60s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	60s	00:00:00	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	HiEV Charger		
DUT / SUT	Charging Station		
Communication	JSON		
Туре	EVW007SL-SK		
OCPP Software version	1,01		
OCTT version	OCTT 1.6 v1.4.3		

Hardware feature set				
Feature Configuration				
Socket(s) / connector(s)	Single			
Fixed cable	<yes></yes>			
Communication technology	Ethernet			
RFID readers	Single			

Non-OCPP Charge Point Configuration		
Configuration key		Value
<>		<>

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:			
Limit / setting Value			
Device supports sending milliseconds in timestamps.	Yes		



OCPP Charging Station	Configuration
Configuration key	Value
AllowOfflineTxForUnknownId	FALSE
AuthorizationCacheEnabled	FALSE
AuthorizeRemoteTxRequests	TRUE
BlinkRepeat	-
ClockAlignedDataInterval	0
ConnectionTimeOut	180
ConnectorPhaseRotation	NotApplicable
ConnectorPhaseRotationMaxLength	-
GetConfigurationMaxKeys	10
Heartbeatinterval	20
LightIntensity	-
LocalAuthorizeOffline	FALSE
LocalPreAuthorize	FALSE
MaxEnergyOnInvalidId	-
MessageTimeout	-
	Energy.Active.Import.Register,
	Power.Active.Import, Power.Factor
Meter Values Aligned Data	Current.Import, Voltage,
	Temperature
MeterValuesAlignedDataMaxLength	8
incervates ingrees aurioxeenger	Energy.Active.Import.Register,
	Power.Active.Import, Power.Factor
MeterValuesSampledData	Current.Import, Voltage,
	Temperature
MeterValuesSampledDataMaxLength	8
Meter ValueSampleInterval	20
MinimumStatusDuration	0
Number Of Connectors	1
ResetRetries	0
	1
StopTransactionMaxMeterValues	·
StopTransactionOnEVSideDisconnect	TRUE
StopTransactionOnInvalidId	TRUE
	Energy.Active.Import.Register,
StopTxnAlignedData	Power.Active.Import, Power.Factor
	Current.Import, Voltage,
	Temperature
StopTxnAlignedDataMaxLength	8
	Energy.Active.Import.Register,
StopTxnSampledData	Power.Active.Import, Power.Factor
otop i mioan picabata	Current.Import, Voltage,
	Temperature
StopTxnSampledDataMaxLength	8
SupportedFeatureProfiles	Core
SupportedFeatureProfilesMaxLength	-
Transaction Message Attempts	600
	30
	30
Transaction Message Retry Interval	FALSE
Transaction Message RetryInterval Unlock Connector On EV Side Disconnect	
Transaction Message Retry Interval Unlock Connector On EV Side Disconnect Web Socket Ping Interval	FALSE
TransactionMessageRetryInterval UnlockConnectorOnEVSideDisconnect WebSocketPingInterval LocalAuthListEnabled	FALSE 10
TransactionMessageRetryInterval UnlockConnectorOnEVSideDisconnect WebSocketPingInterval LocalAuthListEnabled LocalAuthListMaxLength	FALSE 10 -
Transaction Message Retry Interval Unlock Connector On EV Side Disconnect Web Socket Ping Interval Local Auth List Enabled Local Auth List Max Length Send Local List Max Length	FALSE 10 -
TransactionMessageRetryInterval UnlockConnectorOnEVSideDisconnect WebSocketPingInterval LocalAuthListEnabled LocalAuthListMaxLength SendLocalListMaxLength ReserveConnectorZeroSupported	FALSE 10 - - -
TransactionMessageRetryInterval UnlockConnectorOnEVSideDisconnect WebSocketPingInterval LocalAuthListEnabled LocalAuthListMaxLength SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel	FALSE 10 -
TransactionMessageRetryInterval UnlockConnectorOnEVSideDisconnect WebSocketPingInterval LocalAuthListEnabled LocalAuthListMaxLength SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel ChargingScheduleAllowedChargingRateUnit	FALSE 10 - - - - -
TransactionMessageRetryInterval UnlockConnectorOnEVSideDisconnect WebSocketPingInterval LocalAuthListEnabled LocalAuthListMaxLength SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel ChargingScheduleAllowedChargingRateUnit ChargingScheduleMaxPeriods	FALSE 10
TransactionMessageRetryInterval UnlockConnectorOnEVSideDisconnect WebSocketPingInterval LocalAuthListEnabled LocalAuthListMaxLength SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel ChargingScheduleAllowedChargingRateUnit ChargingScheduleMaxPeriods ConnectorSwitch3to1PhaseSupported	FALSE 10 - - - - -
TransactionMessageRetryInterval UnlockConnectorOnEVSideDisconnect WebSocketPingInterval LocalAuthListEnabled LocalAuthListMaxLength SendLocalListMaxLength ReserveConnectorZeroSupported ChargeProfileMaxStackLevel ChargingScheduleAllowedChargingRateUnit ChargingScheduleMaxPeriods	FALSE 10



Statement of Approval

Vendor		Date: 2023.08.22
Name	Dong Ju Kang	Signature
Company	HiEV Charger	
Department		THE WOOD
Position	CEO	事表加
Location	Pyeongtaek, Korea	

Test laboratory		Date: 2023.08.22
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	la
Department	Quality Certification Center	
Position	Chief Researcher	
Location	Seoul, Korea	/