OCPP 1.6 Full Certificate



Certificate holder: Delta Electronics, Inc.

Certificate number: OCA.0016.0479.CS

Product type: Charging Station

Product designation: EIDD-U350SSUUAEG-350

OCPP Software version: V01.05.00.11 Hardware feature set as stated below

Certification date: August 24, 2023

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 - Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol are also covered by this certification.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	•	DELTA OCPP test report

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON Chairman



Abstract of test report

Test Result Summary

Test Report	OCPP 1.6	Certification	
Test laboratory:	DEKRA Certification B.V.		
Location:	Arnhem		
Test Report Reference:	227674900		
Vendor name:	Delta Electronics, Inc.		
Device Under Test:	EIDD-U350SSUUAEG-350		
Communication:	JSON		
OCPP Software version:	V01.05.00.11		
Test Result Summar	y for the ce	rtified functionalities	
Functionalities	OCPP 1.6 Certification Test Results	Description	
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.	
Optional features			
Firmware Management	Pass	Support for (remote) firmware update management and diagnostic log file download.	
Smart Charging	Pass	Support for Smart Charging (all profile types, including stacking), to control charging.	
Reservation	Pass	Support for reservation of a connector of a Charging Station.	
Local Authorization List Management	Pass	Features to manage a local list in the charging station containing authorization data for whitelisting users.	
Remote Trigger	Pass	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.	

Page 1 from 4



Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	300	17	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	5	3	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	5	2	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	Delta Electronics, Inc.
DUT / SUT	Charging station
Communication	JSON
Type	EIDD-U350SSUUAEG-350
OCPP Software version	V01.05.00.11
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set			
Feature	Configuration		
Socket(s) / connector(s)	multiple		
Fixed cable	<yes< td=""></yes<>		
Communication technology	WiFi / ethernet / mobile network		
RFID readers	single		

Non-OCPP Charge Point Configuration			
Configuration key	Value		
	◇		

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:		
Limit / setting	Value	
Device supports sending milliseconds in timestamps.	no	



OCPP Charging Station Configuration			
Configuration key	Value		
Allow Offline TxFor UnknownId	TRUE		
AuthorizationCacheEnabled	TRUE		
AuthorizeRemoteTxRequests	TRUE		
BlinkRepeat	<pre><pre><pre></pre></pre></pre>		
ClockAlignedDataInterval	0		
ConnectionTimeOut	60		
ConnectorPhaseRotation	not supported		
ConnectorPhaseRotationMaxLength	<pre><pre><pre></pre></pre></pre>		
GetConfigurationMaxKeys	60		
HeartbeatInterval	Min 5 max 2592000		
LightIntensity	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>		
LocalAuthorizeOffline	TRUE		
LocalPreAuthorize	FALSE		
MaxEnergyOnInvalidId	<pre><pre><pre><pre></pre></pre></pre></pre>		
MessageTimeout	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>		
Message filleout	Current.Import,		
	energy.active.import.register,		
	power.active.import.register,		
MeterValuesAlignedData	power.active.import, voitage, SoC		
MeterValuesAlignedDataMaxLength	5		
nieter valuesmilgheubatarhaxberigth	Current.Import,		
	energy.active.import.register,		
	power.active.import, voltage,		
MeterValuesSampledData	SoC		
·	50C 5		
MeterValuesSampledDataMaxLength			
MeterValueSampleInterval MinimumStatusDuration	Min 5 max 2592000		
NumberOfConnectors	<optional></optional>		
ResetRetries	2 1		
StopTransactionMaxMeterValues	not supported		
StopTransactionInaxNeterValues StopTransactionOnEVSideDisconnect	TRUE		
StopTransactionOnInvalidId	TRUE		
StopTxnAlignedData	FALSE		
StopTxnAlignedDataMaxLength	0		
StopTxnSampledData	FALSE		
StopTxnSampledDataMaxLength	raloc O		
Stop i knoampiedbatamakLength	-		
	core, firmwaremanagement, localauthlistmanagement,		
	reservation, smartcahrging,		
S			
SupportedFeatureProfiles	remotetrigger		
SupportedFeatureProfilesMaxLength TransactionMessageAttempts	<optional> 2</optional>		
TransactionMessageActempts TransactionMessageRetryInterval	60		
UnlockConnectorOnEVSideDisconnect	FALSE		
	30		
WebSocketPingInterval	JU		
LocalAuthListEnabled	TRUE		
LocalAuthListMaxLength	5000		
SendLocalListMaxLength	100		
ReserveConnectorZeroSupported	<optional></optional>		
ChargeProfileMaxStackLevel	3		
ChargingScheduleAllowedChargingRateUr	Amere and watt		
ChargingScheduleMaxPeriods	20		
ConnectorSwitch3to1PhaseSupported	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>		
MaxChargingProfilesInstalled	20		
SupportedFileTransferProtocols	Http and FTP		

Page 3 from 4



Statement of Approval

Vendor		Date: 24-08-2023	
Name	Ahui.Wang	Signature	
Company	Delta Electronics, Inc.		
Department	Safety & Regulation Engineering	ahir. Wang	
Position	Associate Manager		
Location	Taiwan		

Test laboratory		Date: 09-11-2023
Name	Babiker Abdalla	Signature
Company	DEKRA Certification	
Department	Consumer safety	Biko
Position	Project Manager	Ouco
Location	Arnhem	