# OCPP 1.6 Subset Certificate



Certificate holder: EVSIS Co., Ltd

Certificate number: OCA.0016.0500.CS

Product type: Charging Station

Product designation: JC-9A31-30-CU07

OCPP Software version: 0.0.1

Hardware feature set as stated below

Certification date: October 13, 2023

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, October 13, 2023	(KSGA)EVSIS_Test Report template_JC-9A31-30-CU07_231013

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON



## **Abstract of test report**

#### Test Result Summary

Test laboratory:	Korea Smart Grid Association
Location:	Seoul, Korea
Test execution location:	EVSIS Co., Ltd.(Seoul, Korea)
Test Report Reference:	KSGA-OCPP1.6TEST-186-2023
Vendor name:	EVSIS Co., Ltd.
Device Under Test:	Charging Station
Communication:	JSON
OCPP Software version:	0.0.1
Product designation:	JC-9A31-30-CU07

Product designation:	JC-9A31-30-CU07		
Test Result Summary	for the ce	rtified functionalities	
Functionalities	OCPP 1.6 Certification Test Results	Description	
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.	
Optional features			
Firmware Management	N/A	Support for (remote) firmware update management and diagnostic log file download.	
Smart Charging	N/A	Support for Smart Charging (all profile types, including stacking), to control charging.	
Reservation	N/A	Support for reservation of a connector of a Charging Station.	
Local Authorization List Management	N/A	Features to manage a local list in the charging station containing authorization data for whitelisting users.	
Remote Trigger	N/A	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.	

Page 1 from 4



### Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	120s	0:01:37	The response time for when waiting for an OCPP function with its corresponding request message.  (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	30s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	30s	00:00:00	The response time for the RemoteStartTransaction message.

## Test Configuration

Vendor	EVSIS Co., Ltd.
DUT / SUT	Charge Point
Communication	JSON
Туре	JC-9A31-30-CU07
OCPP Software version	0.0.1
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set				
Feature Configuration				
Socket(s) / connector(s)	Single			
Fixed cable	<yes></yes>			
Communication technology	Ethernet			
RFID readers	Single			

Non-OCPP Charge Point Configuration		
Configuration key	Value	
◇	◇	

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:		
Limit / setting	Value	
Device supports sending milliseconds in	illiseconds in Yes	
timestamps.	res	



OCPP Charging Station Configuration				
Configuration key	Value			
AllowOfflineTxForUnknownId	FALSE			
AuthorizationCacheEnabled	FALSE			
AuthorizeRemoteTxRequests	TRUE			
BlinkRepeat	-			
ClockAlignedDataInterval	0			
ConnectionTimeOut	30			
ConnectorPhaseRotation	RST			
ConnectorPhaseRotationMaxLength	-			
GetConfigurationMaxKeys	3			
HeartbeatInterval	20			
LightIntensity	-			
Local Authorize Offline	TRUE			
LocalPreAuthorize	TRUE			
	TRUE			
MaxEnergyOnInvalidId	-			
MessageTimeout	-			
MeterValuesAlignedData	Energy.Active.Import.Register			
MeterValuesAlignedDataMaxLength	8			
MeterValuesSampledData	Current.Import, Current.Offered Energy.Active.Import.Register, Power.Active.Import, Power.Offered, SoC, Voltage			
MeterValuesSampledDataMaxLength	8			
MeterValueSampleInterval	300			
MinimumStatusDuration	-			
NumberOfConnectors	1			
ResetRetries				
StopTransactionMaxMeterValues	3			
'	- TDUE			
StopTransactionOnEVSideDisconnect StopTransactionOnInvalidId	TRUE TRUE			
StopTxnAlignedData	Current.Import, Current.Offered, Energy.Active.Import.Register, Energy.Active.Import.Interval, Power.Active.Import, Power.Offered, SoC, Voltage			
StopTyp Aligned Data May Longth				
StopTxnAlignedDataMaxLength	8			
StopTxnSampledData	Current.Import, Current.Offered, Energy.Active.Import.Register, Power.Active.Import, Power.Offered, SoC, Voltage			
StopTxnSampledDataMaxLength	8			
SupportedFeatureProfiles	Core			
SupportedFeatureProfilesMaxLength	6			
TransactionMessageAttempts	2			
TransactionMessageRetryInterval	30			
UnlockConnectorOnEVSideDisconnect	FALSE			
WebSocketPingInterval	0 0			
-	-			
LocalAuthListEnabled	-			
LocalAuthListMaxLength	-			
SendLocalListMaxLength	-			
ReserveConnectorZeroSupported	-			
ChargeProfileMaxStackLevel	-			
-	-			
ChargingScheduleAllowedChargingRateUnit	-			
ChargingScheduleMaxPeriods	-			
ConnectorSwitch3to1PhaseSupported	-			
MaxChargingProfilesInstalled	-			
SupportedFileTransferProtocols	-			

Page 3 from 4



### Statement of Approval

Vendor		Date: 2023.10.13
Name	su-jin Kim	Signature
Company	EVSIS Co.,Ltd.	
Department	Software convergence team	L/
Position	Researcher	
Location	Goyang, Korea	

Test laboratory			Date: 2023.10.13
Name	Philip YANG		Signature
Company	Korea Smart Grid Association		la.
Department	Quality Certification Center		
Position	chief Researcher		
Location	Seoul, Korea		/