OCPP 1.6 Subset Certificate



Certificate holder:	EVSIS Co., Ltd
Certificate number:	OCA.0016.0529.CS
Product type:	Charging Station
Product designation:	JC-9932-100-CU07 OCPP Software version: 0.0.1 Hardware feature set as stated below
Certification date:	October 13, 2023

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, October 13, 2023	(KSGA)EVSIS_Test Report template_JC-9932-100-CU07_231013

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON Chairman



Abstract of test report

Test Result Summary

Test Report	OCPP 1.6	Certification	
Test laboratory:	Korea Smart (Grid Association	
Location:	Seoul, Korea		
Test execution location:	EVSIS Co., Ltd.(Seoul, Korea)		
Test Report Reference:		5TEST-166-2023	
Vendor name:	EVSIS Co., Ltd		
Device Under Test:	Charging Sta	tion	
Communication:	JSON		
OCPP Software version:	0.0.1		
Product designation:	JC-9932-100-0	:007	
Test Result Summary	for the ce	rtified functionalities	
Functionalities	OCPP 1.6	Description	
	Certification		
	Test Results		
Core	Pass	Basic Charging Station functionality	
		for booting, authorization (incl.	
		cache if available), configuration,	
		transactions, remote control.	
Ordered German			
Optional features Firmware Management	N/A	Support for (remote) firmware	
rinnware management	NA	update management and	
		upuate management and	
		diagnostic log file download	
		diagnostic log file download.	
Smart Charging	N/A	diagnostic log file download. Support for Smart Charging (all	
Smart Charging	N/A		
Smart Charging	N/A	Support for Smart Charging (all	
Smart Charging Reservation	-	Support for Smart Charging (all profile types, including stacking), to control charging.	
	N/A N/A	Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a	
	-	Support for Smart Charging (all profile types, including stacking), to control charging.	
Reservation	N/A	Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station.	
	-	Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in	
Reservation	N/A	Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing	
Reservation	N/A	Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting	
Reservation Local Authorization List Management	N/A	Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing	
Reservation	N/A	Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting	
Reservation Local Authorization List Management	N/A N/A	Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users.	
Reservation Local Authorization List Management	N/A N/A	Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering	
Reservation Local Authorization List Management	N/A N/A	Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a	
Reservation Local Authorization List Management	N/A N/A	Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from	
Reservation Local Authorization List Management	N/A N/A	Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for	





Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	120s	0:00:39	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	30s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	30s	00:00:00	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	EVSIS Co., Ltd.
DUT / SUT	Charge Point
Communication	JSON
Туре	JC-9932-100-CU07
OCPP Software version	0.0.1
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set				
Feature Configuration				
Socket(s) / connector(s)	Multiple			
Fixed cable	<yes></yes>	<yes></yes>		
Communication technology	Ethernet			
RFID readers	Single			

Non-OCPP Charge Point Configuration

Configuration key	Value
<	<>

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:

Limit / setting	Value
Device supports sending milliseconds in timestamps.	Yes

Page 2 from 4



OCPP Charging Station	Configuration	
Configuration key	Value	
AllowOfflineTxForUnknownId	FALSE	
AuthorizationCacheEnabled	FALSE	
AuthorizeRemoteTxRequests	TRUE	
BlinkRepeat	-	
ClockAlignedDataInterval	0	
ConnectionTimeOut	30	
ConnectorPhaseRotation	RST	
	1.51	
ConnectorPhaseRotationMaxLength	-	
GetConfigurationMaxKeys	3	
HeartbeatInterval	20	
LightIntensity	-	
LocalAuthorizeOffline	TRUE	
LocalPreAuthorize	TRUE	
MaxEnergyOnInvalidId	-	
MessageTimeout	-	
MeterValuesAlignedData	Energy.Active.Import.Register	
MeterValuesAlignedDataMaxLength	8	
	Current.Import, Current.Offered	
	Energy.Active.Import.Register,	
MeterValuesSampledData	Power.Active.Import,	
	Power.Offered, SoC, Voltage	
	romanonarea, soc, vonage	
MeterValuesSampledDataMaxLength	8	
MeterValueSampleInterval	15	
MinimumStatusDuration	-	
NumberOfConnectors	2	
ResetRetries	3	
StopTransactionMaxMeterValues	-	
StopTransactionOnEVSideDisconnect	TRUE	
StopTransactionOnInvalidId	TRUE	
StopTxnAlignedData	Current.Import, Current.Offered Energy.Active.Import.Register, Energy.Active.Import.Interval, Power.Active.Import, Power.Offered, SoC, Voltage	
StopTxnAlignedDataMaxLength	8	
StopTxnSampledData	Current.Import, Current.Offered, Energy.Active.Import.Register, Power.Active.Import, Power.Offered, SoC, Voltage	
StopTxnSampledDataMaxLength	8	
SupportedFeatureProfiles	Core	
SupportedFeatureProfilesMaxLength	6	
TransactionMessageAttempts	2	
TransactionMessageRetryInterval	30	
UnlockConnectorOnEVSideDisconnect	FALSE	
WebSocketPingInterval	0	
	-	
LocalAuthListEnabled	-	
LocalAuthListMaxLength	-	
SendLocalListMaxLength	-	
ReserveConnectorZeroSupported	-	
ChargeProfileMaxStackLevel	-	
ChargingScheduleAllowedChargingRateUnit	-	
ChargingScheduleMaxPeriods	-	
ConnectorSwitch3to1PhaseSupported	-	
MaxChargingProfilesInstalled	-	
SupportedFileTransferProtocols		

Page **3** from **4**



Statement of Approval

Vendor		Date: 2023.10.13
Name	su-jin Kim	Signature
Company	EVSIS Co.,Ltd.	
Department	software convergence team	L
Position	Researcher	N
Location	Goyang, Korea	ŕ

Test laboratory		Date: 2023.10.13
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	14
Department	Quality Certification Center	7/
Position	Chief Researcher	
Location	Seoul, Korea	

Page **4** from **4**