

# OCPP 1.6 Full Certificate



**Certificate holder:** ULVAC KOREA

**Certificate number:** OCA.0016.0102.CS

**Product type:** Charging Station

**Product designation:** UK-NC7S01-001  
OCPP Software version: 1.0.11  
Hardware feature set as stated below

**Certification date:** April 14, 2022

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 - Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol are also covered by this certification.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
<i>Conformance testing according to the test specification referenced by the test report</i>	<i>Korea Smart Grid Association, April 14, 2022</i>	<i>KSGA_20220414_Test Report_ULVAC</i>

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

**ONOPH CARON**  
Chairman

A blue ink signature of Onoph Caron, the Chairman of the Open Charge Alliance.

## Abstract of test report

### Test Result Summary

Test Report OCPP 1.6 Certification		
<b>Test laboratory:</b>	Korea Smart Grid Association	
<b>Location:</b>	Seoul , Korea	
<b>Test Report Reference:</b>	KSGA-OCPP1.6TEST-045-2022	
<b>Vendor name:</b>	ULVAC KOREA	
<b>Device Under Test:</b>	Charging Station	
<b>Communication:</b>	JSON	
<b>OCPP Software version:</b>	1.0.11	
Test Result Summary for the certified functionalities		
Functionalities	OCPP 1.6 Certification Test Results	Description
<b>Core</b>	<b>Pass</b>	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.
<b>Optional features</b>		
<b>Firmware Management</b>	<b>Pass</b>	Support for (remote) firmware update management and diagnostic log file download.
<b>Smart Charging</b>	<b>Pass</b>	Support for Smart Charging (all profile types, including stacking), to control charging.
<b>Reservation</b>	<b>Pass</b>	Support for reservation of a connector of a Charging Station.
<b>Local Authorization List Management</b>	<b>Pass</b>	Features to manage a local list in the charging station containing authorization data for whitelisting users.
<b>Remote Trigger</b>	<b>Pass</b>	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.

## Performance Measurement Results

Performance Measurement Results			
Name	PICS value	Measured value	Description
OCPP triggered function timeout:	15s	00:00:13	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	10s	00:00:02	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	10s	00:00:00	The response time for the RemoteStartTransaction message.

## Test Configuration

### Test Configuration

<b>Vendor</b>	<b>ULVAC KOREA</b>
<b>DUT / SUT</b>	Charge Point
<b>Communication</b>	JSON
<b>Type</b>	UK-NC7S01-001
<b>OCPP Software version</b>	1.0.11
<b>OCTT version</b>	OCTT 1.6 v1.4.3

### Hardware feature set

Feature	Configuration
Socket(s) / connector(s)	Single
Fixed cable	<Yes>
Communication technology	Mobile network
RFID readers	Single

### Non-OCPP Charge Point Configuration

Configuration key	Value
<>	<>


All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:

Limit / setting	Value
Device supports sending milliseconds in timestamps.	Yes

OCPP Charging Station Configuration	
Configuration key	Value
AllowOfflineTxForUnknownId	FALSE
AuthorizationCacheEnabled	TRUE
AuthorizeRemoteTxRequests	TRUE
BlinkRepeat	10
ClockAlignedDataInterval	20
ConnectionTimeOut	10
ConnectorPhaseRotation	NotApplicable
ConnectorPhaseRotationMaxLength	0
GetConfigurationMaxKeys	10
HeartbeatInterval	15
LightIntensity	20
LocalAuthorizeOffline	TRUE
LocalPreAuthorize	FALSE
MaxEnergyOnInvalidId	1000
MessageTimeout	-
MeterValuesAlignedData	Energy.Active.Import.Interval, Temperature
MeterValuesAlignedDataMaxLength	20
MeterValuesSampledData	Voltage,Current.Import, Energy.Active.Import.Interval,SoC
MeterValuesSampledDataMaxLength	10
MeterValueSampleInterval	20
MinimumStatusDuration	10
NumberOfConnectors	1
ResetRetries	3
StopTransactionMaxMeterValues	20
StopTransactionOnEVSideDisconnect	TRUE
StopTransactionOnInvalidId	TRUE
StopTxnAlignedData	Power.Offered,SoC
StopTxnAlignedDataMaxLength	10
StopTxnSampledData	Power.Offered,SoC
StopTxnSampledDataMaxLength	10
SupportedFeatureProfiles	Core
SupportedFeatureProfilesMaxLength	6
TransactionMessageAttempts	3
TransactionMessageRetryInterval	10
UnlockConnectorOnEVSideDisconnect	TRUE
WebSocketPingInterval	10
LocalAuthListEnabled	TRUE
LocalAuthListMaxLength	100
SendLocalListMaxLength	100
ReserveConnectorZeroSupported	TRUE
ChargeProfileMaxStackLevel	10
ChargingScheduleAllowedChargingRateUnit	Ampère & Watt
ChargingScheduleMaxPeriods	100
ConnectorSwitch3to1PhaseSupported	TRUE
MaxChargingProfilesInstalled	10
SupportedFileTransferProtocols	ftp

Statement of Approval

Vendor		Date: 2022.04.14
Name	Pilhong PARK	Signature 
Company	ULVAC KOREA	
Department	Components Division	
Position	Senior Engineer	
Location	Pyeongtaek, Korea	

Test laboratory		Date: 2022.04.14
Name	Philip YANG	Signature 
Company	Korea Smart Grid Association	
Department	Quality Certification Center	
Position	Senior Researcher	
Location	Seoul, Korea	