OCPP 1.6 Subset Certificate



Certificate holder:

Everon CO., Ltd.

Certificate number:OCA.0016.0113.CSProduct type:Charging StationProduct designation:EVL-1C07027A01
OCPP Software version: EVSAF200 / Hardware feature set as
stated belowCertification date:April 22, 2022

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 - Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report		KSGA_20220422_Test Report _EVERON

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON Chairman

Authenticity of this certificate can be verified at www.openchargealliance.org

Abstract of test report

Test Result Summary

Test Report	OCPP 1.6	Certification	
Test laboratory:	Korea Smart	Grid Association	
Location:	Seoul , Korea		
Test Report Reference:	KSGA-OCPP1.6TEST-060-2022		
Vendor name:	EVERON		
Device Under Test:	Charging Stati	on	
Communication:	JSON		
OCPP Software version:	EVSAF200		
Test Result Summary	y for the ce	rtified functionalities	
Functionalities	OCPP 1.6 Certification Test Results	Description	
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.	
Optional features			
Firmware Management	N/A	Support for (remote) firmware update management and diagnostic log file download.	
Smart Charging	N/A	Support for Smart Charging (all profile types, including stacking), to control charging.	
Reservation	N/A	Support for reservation of a connector of a Charging Station.	
Local Authorization List Management	N/A	Features to manage a local list in the charging station containing authorization data for whitelisting users.	
Remote Trigger	N/A	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.	

Page **1** from **4**



Performance Measurement Results

Performance Measurement Results			
Name	PICS value	Measured value	Description
OCPP triggered function timeout:	10s	00:00:10	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	10s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	10s	00:00:00	The response time for the RemoteStartTransaction message.

Test Configuration

Test Configuration			
Vendor	EVERON		
DUT / SUT	Charging Station		
Communication	JSON		
Туре	EVL-1C07027A01		
OCPP Software version	EVSAF200		
OCTT version	OCTT 1.6 v1.4.3		

Hardware feature set			
Feature Configuration			
Socket(s) / connector(s)	Single		
Fixed cable	<yes></yes>		
Communication technology	Ethernet		
RFID readers	Single		

Non-OCPP Charge Point Configuration			
Configuration key	Value		
<>	<>		

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:

Limit / setting	Value
Device supports sending milliseconds in timestamps.	Yes

Page 2 from 4



OCPP Charging Station	Configuration
Configuration key	Value
AllowOfflineTxForUnknownId	
AuthorizationCacheEnabled	
AuthorizeRemoteTxRequests	TRUE
BlinkRepeat	
ClockAlignedDataInterval	30
ConnectionTimeOut	60
ConnectorPhaseRotation	RST
ConnectorPhaseRotationMaxLength	101
GetConfigurationMaxKeys	1
HeartbeatInterval	20
LightIntensity	20
LocalAuthorizeOffline	FALSE
LocalPreAuthorize	
	FALSE
MaxEnergyOnInvalidId	
MessageTimeout	Energy Astronomy C. D. 11
MeterValuesAlignedData	Energy.Active.Import.Register
MeterValuesAlignedDataMaxLength	10
MeterValuesSampledData	Energy.Active.Import.Register
MeterValuesSampledDataMaxLength	10
MeterValueSampleInterval	30
MinimumStatusDuration	
NumberOfConnectors	1
ResetRetries	1
StopTransactionMaxMeterValues	10
StopTransactionOnEVSideDisconnect	TRUE
StopTransactionOnInvalidId	TRUE
StopTxnAlignedData	TRUE
StopTxnAlignedDataMaxLength	10
StopTxnSampledData	TRUE
StopTxnSampledDataMaxLength	10
SupportedFeatureProfiles	Core
SupportedFeatureProfilesMaxLength	
TransactionMessageAttempts	1
TransactionMessageRetryInterval	60
UnlockConnectorOnEVSideDisconnect	FALSE
WebSocketPingInterval	10
LocalAuthListEnabled	
LocalAuthListMaxLength	
SendLocalListMaxLength	
ReserveConnectorZeroSupported	
ChargeProfileMaxStackLevel	
ChargingScheduleAllowedChargingRateUnit	
ChargingScheduleMaxPeriods	
ConnectorSwitch3to1PhaseSupported	
MaxChargingProfilesInstalled	
SupportedFileTransferProtocols	

Page **3** from **4**



Statement of Approval

Vendor			Date: 2022.04.22
Name	Jiyoun Jeong		Signature
Company	everon		
Department	Laboratory		memon
Position	Senior Engineer		MGWIN
Location	Seoul, Korea		

Test laboratory		Date: 2022.04.22
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	10
Department	Quality Certification Center	
Position	Senior Researcher	A.
Location	Seoul, Korea	

Page **4** from **4**