# OCPP 1.6 Subset Certificate



Certificate holder: SK Signet Inc.

Certificate number: OCA.0016.0650.CS

**Product type:** Charging Station

Product designation: FC100K-B2-PS-G3

OCPP Software version: 2.24.5

Hardware feature set as stated below

Certification date: February 21, 2024

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, February 21, 2024	(KSGA)SK SIGNET_Test Report_FC100K-B2-PS-G3_v1.5

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON
Chairman



## **Abstract of test report**

Test Result Summary

Test Report OCPP 1.6 Certification				
Test laboratory: Korea Smart Grid Association				
Location:	Seoul, Korea			
Test execution location:	SK Signet Inc. (Bucheon, Korea)			
Test Report Reference:	KSGA-OCPP1.6TEST-027-2024			
Vendor name:				
Device Under Test:	SK Signet Inc. Charging Station			
Communication:	JSON			
OCPP Software version:	2.24.5			
Product designation:	FC100K-B2-P5	S-G3		
Test Result Summary	/ for the ce	rtified functionalities		
Functionalities	OCPP 1.6	Description		
	Certification			
	Test Results			
Core	Pass	Basic Charging Station functionality		
		for booting, authorization (incl. cache		
		if available), configuration,		
		transactions, remote control.		
Ontional features				
Optional features  Firmware Management	N/A	Support for (remote) firmware undate		
Optional features Firmware Management	N/A	Support for (remote) firmware update management and diagnostic log file		
	N/A	Support for (remote) firmware update management and diagnostic log file download.		
Firmware Management	·	management and diagnostic log file download.		
	N/A N/A	management and diagnostic log file download. Support for Smart Charging (all profile		
Firmware Management	·	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control		
Firmware Management	N/A	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control charging.		
Firmware Management  Smart Charging	·	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control charging.  Support for reservation of a connector		
Firmware Management  Smart Charging	N/A	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control charging.		
Firmware Management  Smart Charging	N/A N/A	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control charging.  Support for reservation of a connector		
Firmware Management  Smart Charging  Reservation	N/A N/A	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control charging.  Support for reservation of a connector of a Charging Station.		
Firmware Management  Smart Charging  Reservation	N/A N/A	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control charging.  Support for reservation of a connector of a Charging Station.  Features to manage a local list in the		
Firmware Management  Smart Charging  Reservation	N/A N/A	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control charging.  Support for reservation of a connector of a Charging Station.  Features to manage a local list in the charging station containing		
Firmware Management  Smart Charging  Reservation	N/A N/A	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control charging.  Support for reservation of a connector of a Charging Station.  Features to manage a local list in the charging station containing authorization data for whitelisting users.  Support for remotely triggering		
Firmware Management  Smart Charging  Reservation  Local Authorization List Management	N/A N/A N/A	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control charging.  Support for reservation of a connector of a Charging Station.  Features to manage a local list in the charging station containing authorization data for whitelisting users.  Support for remotely triggering messages that originate from a		
Firmware Management  Smart Charging  Reservation  Local Authorization List Management	N/A N/A N/A	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control charging.  Support for reservation of a connector of a Charging Station.  Features to manage a local list in the charging station containing authorization data for whitelisting users.  Support for remotely triggering messages that originate from a Charging Station. This can be used for		
Firmware Management  Smart Charging  Reservation  Local Authorization List Management	N/A N/A N/A	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control charging.  Support for reservation of a connector of a Charging Station.  Features to manage a local list in the charging station containing authorization data for whitelisting users.  Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the		
Firmware Management  Smart Charging  Reservation  Local Authorization List Management	N/A N/A N/A	management and diagnostic log file download.  Support for Smart Charging (all profile types, including stacking), to control charging.  Support for reservation of a connector of a Charging Station.  Features to manage a local list in the charging station containing authorization data for whitelisting users.  Support for remotely triggering messages that originate from a Charging Station. This can be used for		

Page 1 from 4



#### Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	90s	00:01:20	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	60s	00:00:02	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	60s	00:00:00	The response time for the RemoteStartTransaction message.

#### **Test Configuration**

Vendor	SK Signet Inc.		
DUT / SUT	Charging Station		
Communication	JSON		
Туре	FC100K-B2-PS-G3		
OCPP Software version	2.24.5		
OCTT version	OCTT 1.6 v1.4.3		

Hardware feature set				
Feature Configuration				
Socket(s) / connector(s)	Multiple			
Fixed cable	<yes></yes>			
Communication technology	Ethernet			
RFID readers	Single			

	Non-OCPP Charge Point	Configuration
Configuration key		Value
<>		<>

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:

Limit / setting	Value		
Device supports sending milliseconds in	Yes		
timestamps.	103		



OCPP Charging Station	Configuration
Configuration key	Value
AllowOfflineTxForUnknownId	TRUE
AuthorizationCacheEnabled	_
AuthorizeRemoteTxRequests	TRUE
BlinkRepeat	-
ClockAlignedDataInterval	0
ConnectionTimeOut	60
ConnectorPhaseRotation	-
Connector PhaseRotationMaxLength	
GetConfigurationMaxKeys	25
HeartbeatInterval	
LightIntensity	20
Local Authorize Offline	TDUE
	TRUE
LocalPreAuthorize	FALSE
MaxEnergyOnInvalidId	-
MessageTimeout	-
MeterValuesAlignedData	-
Meter Values Aligned Data Max Length	4
Meter Values Sampled Data	Energy. Active. Import. Register, Power.
·	Active.Import,SoC,Power.Offered
Meter Values Sampled Data Max Length	4
Meter Value Sample Interval	15
Minimum Status Duration	-
NumberOfConnectors	2
ResetRetries	0
Stop Transaction Max Meter Values	2.147.483.647
Stop Transaction On EV Side Disconnect	TRUE
Stop Transaction On Invalid Id	TRUE
StopTxnAlignedData	-
Stop Txn Aligned Data Max Length	5
	Energy. Active. Import. Register, Power.
StopTxnSampledData	Active.Import,Current.Offered,SoC,P
	ower.Offered
StopTxnSampledDataMaxLength	5
SupportedFeatureProfiles	Core
Supported Feature Profiles Max Length	4
Transaction Message Attempts	60
Transaction Message Retry Interval	60
UnlockConnectorOnEVSideDisconnect	FALSE
WebSocketPingInterval	60
Local Auth List Enabled	-
Local Auth List Max Length	
SendLocalListMaxLength	-
ReserveConnectorZeroSupported	
ChargeProfileMaxStackLevel	-
ChargingScheduleAllowedChargingRateUnit	-
ChargingScheduleMaxPeriods	-
ConnectorSwitch3to1PhaseSupported	-
MaxChargingProfilesInstalled	-
Supported File Transfer Protocols	-

Page 3 from 4



### Statement of Approval

Vendor		Date: 2024.02.21
Name	YoungJang Kim	Signature
Company	SK Signet Inc.	
Department	Software Team / R&D center	0.01
Position	Manager	
Location	Seoul, Korea	

Test laboratory		<b>Date</b> : 2024.02.21
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	<b>L</b> <sub>2</sub>
Department	Quality Certification Center	
Position	Chief Researcher	A.
Location	Seoul, Korea	/