OCPP 1.6 Subset Certificate



Certificate holder: TaeSeongConTech

Certificate number: OCA.0016.0685.CS

Product type: Charging Station

Product designation: TSCT-1100A

OCPP Software version: v1.0.0

Hardware feature set as stated below

Certification date: March 26, 2024

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 - Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, March 26, 2024	(KSGA)TSCT_Test Report_TSCT- 1100A_v1.5

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON Chairman



Abstract of test report

Test Result Summary

Test Report	: OCPP 1.6	Certification		
Test laboratory:	Korea Smart Grid Association			
Location:	Seoul, Korea			
Test execution location:	TaeSeongConTech (Anyang, Korea)			
Test Report Reference:	KSGA-OCPP1.6TEST-045-2024			
Vendor name:	TaeSeongCo	nTech		
Device Under Test:	Charging Stat	tion		
Communication:	JSON			
OCPP Software version:	v1.0.0			
Product designation:	TSCT-1100A			
Test Result Summary	for the ce	rtified functionalities		
Functionalities	OCPP 1.6	Description		
	Certification			
	Test Results			
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.		
Optional features				
Firmware Management	N/A	Support for (remote) firmware update management and diagnostic log file download.		
Smart Charging	N/A	Support for Smart Charging (all profile types, including stacking), to control charging.		
Reservation	N/A	Support for reservation of a connector of a Charging Station.		
Local Authorization List Manageme	N/A	Features to manage a local list in the charging station containing authorization data for whitelisting users.		
Remote Trigger	N/A	Support for remotely triggering		

Page 1 from 4

Station.

messages that originate from a

Charging Station. This can be used for resending messages or for getting the latest information from the Charging



Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	30s	00:00:21	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	60s	00:00:02	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	5s	00:00:00	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	TaeSeongConTech
DUT / SUT	Charging Station
Communication	JSON
Туре	TSCT-1100A
OCPP Software version	v1.0.0
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set				
Feature Configuration				
Socket(s) / connector(s)	Single			
Fixed cable	<yes></yes>			
Communication technology	Ethernet			
RFID readers	Single			

	Configuration	
Configuration key		Value
<>		<>

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:		
Limit / setting	Value	
Device supports sending milliseconds in	Yes	
timestamps.	res	



OCPP Charging Station	n Configuration
Configuration key	Value
AllowOfflineTxForUnknownId	-
AuthorizationCacheEnabled	-
Authorize Remote TxRequests	TRUE
BlinkRepeat	-
	180
ConnectionTimeOut	30
ConnectorPhaseRotation	NotApplicable
ConnectorPhaseRotationMaxLength	-
GetConfigurationMaxKeys	20
Heartbeatinterval	20
LightIntensity	-
LocalAuthorizeOffline	FALSE
LocalPreAuthorize	FALSE
MaxEnergyOnInvalidId	PALSE
MessageTimeout	-
iviessage i inieout	Consent Instruct Consent Offered Device
Meter Values Aligned Data	Current.Import,Current.Offered,Powe
Matar / Aluas Aliana d Data May Langth	r.Active.Import,Voltage
MeterValuesAlignedDataMaxLength	4
Meter Values Sampled Data	Current.Import,Current.Offered,Powe
	r.Active.Import,Voltage
MeterValuesSampledDataMaxLength	4
MeterValueSampleInterval	20
MinimumStatusDuration	-
Number Of Connectors	1
ResetRetries	0
StopTransactionMaxMeterValues	4
StopTransactionOnEVSideDisconnect	TRUE
StopTransactionOnInvalidId	FALSE
StopTxnAlignedData	Current.Import,Current.Offered,Powe
· -	r.Active.Import,Voltage
StopTxnAlignedDataMaxLength	4
StopTxnSampledData	Current.Import,Current.Offered,Powe r.Active.Import,Voltage
Stop Txn Sampled Data Max Length	4
SupportedFeatureProfiles	Core
SupportedFeatureProfilesMaxLength	-
Transaction Message Attempts	5
Transaction Message Retry Interval	60
UnlockConnectorOnEVSideDisconnect	FALSE
WebSocketPingInterval	-
LocalAuthListEnabled	-
Local Auth List Max Length	-
SendLocalListMaxLength	-
ReserveConnectorZeroSupported	-
ChargeProfileMaxStackLevel	-
ChargingScheduleAllowedChargingRateUnit	-
ChargingScheduleMaxPeriods	-
ConnectorSwitch3to1PhaseSupported	-
MaxChargingProfilesInstalled	-
SupportedFileTransferProtocols	-

Page 3 from 4



Statement of Approval

Vendor		Date : 2024.03.26
Name	MinWoo Kim	Signature
Company	TaeSeongConTech	1/1 0
Department	Management	1/horr
Position	CEO	////
Location	Gimcheon, Korea	

Test laboratory		Date : 2024.03.26
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	4
Department	Quality Certification Center	
Position	Chief Researcher	
Location	Seoul, Korea	/