OCPP 1.6 Subset Certificate



Certificate holder: EVSIS Co., Ltd.

Certificate number: OCA.0016.0691.CS

Product type: Charging Station

Product designation: JC-96S2-200-0W06

OCPP Software version: 0.0.1

Hardware feature set as stated below

Certification date: March 20, 2024

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, March 20, 2024	((KSGA)EVSIS_Test Report_JC-96S2- 200-0W06_v1.5

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON



Abstract of test report

Test Result Summary

Test ite per	OCPP 1.6	Certification			
Test laboratory:	Korea Smart Grid Association				
Location:	Seoul, Korea				
Test execution location:	EVSIS Co., Ltd. (Seoul, Korea)				
Test Report Reference:	KSGA-OCPP1.6TEST-040-2024				
Vendor name:	EVSIS Co., Ltd.				
Device Under Test:	Charging Station				
Communication:	JSON				
OCPP Software version:	0.0.1				
Product designation:	JC-96S2-200-0W06				
Test Result Summar	y for the ce	ertified functionalities			
Functionalities	OCPP 1.6	Description			
	Certification				
	Test Results				
Core	Pass	Basic Charging Station functionality			
		for booting, authorization (incl. cache			
		if available), configuration,			
		transactions, remote control.			
Optional features	Optional features				
Firmware Management	N/A	Support for (remote) firmware			
Firmware Management	N/A	update management and diagnostic			
Firmware Management	N/A	7.7			
Firmware Management Smart Charging	N/A N/A	update management and diagnostic			
·	•	update management and diagnostic log file download.			
Smart Charging	N/A	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging.			
·	•	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a			
Smart Charging	N/A	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging.			
Smart Charging Reservation	N/A N/A	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station.			
Smart Charging	N/A N/A	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the			
Smart Charging Reservation	N/A N/A	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing			
Smart Charging Reservation	N/A N/A	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting			
Smart Charging Reservation Local Authorization List Management	N/A N/A N/A	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users.			
Smart Charging Reservation	N/A N/A	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering			
Smart Charging Reservation Local Authorization List Management	N/A N/A N/A	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a			
Smart Charging Reservation Local Authorization List Management	N/A N/A N/A	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering			
Smart Charging Reservation Local Authorization List Management	N/A N/A N/A	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a Charging Station. This can be used			
Smart Charging Reservation Local Authorization List Management	N/A N/A N/A	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for			

Page 1 from 4



Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	120s	0:01:44	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	30s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	30s	0:00:01	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	EVSIS Co., Ltd.
DUT / SUT	Charging Station
Communication	JSON
Туре	JC-96S2-200-0W06
OCPP Software version	0.0.1
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set			
Feature Configuration			
Socket(s) / connector(s)	Multiple		
Fixed cable	<yes></yes>		
Communication technology	Ethernet		
RFID readers	Single		

Non-OCPP Ch	narge Point Configuration
Configuration key	Value
<>	<>

All other relevant limits and non-OCPP settings that are relevant for the test
laboratory and for the correct functioning of the CSMS:

Limit / setting

Value

Device supports sending milliseconds in timestamps.

Yes



OCPP Charging Station Configuration			
Configuration key	Value		
AllowOfflineTxForUnknownId	FALSE		
AuthorizationCacheEnabled	FALSE		
AuthorizeRemoteTxRequests	TRUE		
BlinkRepeat	-		
ClockAlignedDataInterval	0		
ConnectionTimeOut	60		
ConnectorPhaseRotation	RST		
Connector Phase Rotation Max Length	-		
GetConfigurationMaxKeys	3		
HeartbeatInterval	20		
LightIntensity	-		
LocalAuthorizeOffline	TRUE		
LocalPreAuthorize			
	TRUE		
MaxEnergyOnInvalidId	-		
MessageTimeout			
Meter Values Aligned Data	Energy.Active.Import.Register		
Meter Values Aligned Data Max Length	8		
	Current.Import, Current.Offered,		
Meter Values Sampled Data	Energy.Active.Import.Register,		
Weter values sample ubata	Power.Active.Import, Power.Offered,		
	SoC, Voltage		
Meter Values Sampled Data Max Length	8		
MeterValueSampleInterval	20		
MinimumStatusDuration	-		
NumberOfConnectors	2		
ResetRetries	3		
StopTransactionMaxMeterValues	-		
StopTransactionOnEVSideDisconnect	TRUE		
StopTransactionOnInvalidId	TRUE		
Stophansactionominvalidid	Current.Import, Current.Offered,		
	Energy.Active.Import.Register,		
CtanTyn Alianad Data	Energy.Active.Import.Interval,		
StopTxnAlignedData	23		
	Power.Active.Import, Power.Offered,		
o di la la la la	SoC, Voltage		
StopTxnAlignedDataMaxLength	8		
	Current.Import, Current.Offered,		
StopTxnSampledData	Energy.Active.Import.Register,		
	Power.Active.Import, Power.Offered,		
	SoC, Voltage		
StopTxnSampledDataMaxLength	8		
SupportedFeatureProfiles	Core		
SupportedFeatureProfilesMaxLength	6		
Transaction Message Attempts	2		
TransactionMessageRetryInterval	30		
UnlockConnectorOnEVSideDisconnect	FALSE		
WebSocketPingInterval	0		
LocalAuthListEnabled	-		
LocalAuthListMaxLength	-		
SendLocalListMaxLength	-		
ReserveConnectorZeroSupported	-		
ChargeProfileMaxStackLevel	-		
ChargingScheduleAllowedChargingRateUnit	-		
ChargingScheduleMaxPeriods	_		
ConnectorSwitch3to1PhaseSupported	+		
MaxChargingProfilesInstalled	-		
SupportedFileTransferProtocols	_		
aupporteurile Harister Protocols			

Page 3 from 4



Statement of Approval

Vendor		Date : 2024.03.20
Name	Kyung-Jin Ko	Signature
Company	EVSIS Co., Ltd.	
Department	Software convergence team	4
Position	Researcher	
Location	Seoul, Korea	*

Test laboratory		Date: 2024.03.20
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	ام
Department	Quality Certification Center	
Position	Chief Researcher	
Location	Seoul, Korea	/