OCPP 1.6 Full Certificate



Certificate holder: COSTEL Co., Ltd

Certificate number: OCA.0016.0710.CS

Product type: Charging Station

Product designation: CEC-1020BC

OCPP Software version: V1.0.2

Hardware feature set as stated below

Certification date: April 8, 2024

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol are also covered by this certification.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, April 8, 2024	(KSGA)Costel_Test Report_CEC- 1020BC_v1.5

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON Chairman



Abstract of test report

Test Result Summary

		0.114	
Test laboratory:	Korea Smart Grid Association		
Location:	Seoul, Korea		
Test execution location:	COSTEL Co.,Ltd (Seongnam, Korea)		
Test Report Reference:	KSGA-OCPP1.6TEST-053-2024		
Vendor name:	COSTEL Co.,Ltd		
Device Under Test:	Charging Station		
Communication:	JSON		
OCPP Software version:	V1.0.2		
Product designation:	CEC-1020BC		
Test Result Summary	for the ce	rtified functionalities	
Functionalities	OCPP 1.6	Description	
	Certification		
	Test Results		
Core	Pass	Basic Charging Station functionality	
		for booting, authorization (incl. cache	
		if available), configuration,	
		transactions, remote control.	
Optional features			
Firmware Management	Pass	Support for (remote) firmware update	
		management and diagnostic log file	
		download.	
Smart Charging	Pass	Support for Smart Charging (all profile	
Smart Charging	Pass	Support for Smart Charging (all profile types, including stacking), to control	
Smart Charging	Pass	types, including stacking), to control	
Smart Charging Reservation	Pass	types, including stacking), to control charging.	
		types, including stacking), to control charging. Support for reservation of a connector	
		types, including stacking), to control charging.	
	Pass	types, including stacking), to control charging. Support for reservation of a connector of a Charging Station.	
Reservation	Pass	types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the	
Reservation	Pass	types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing	
Reservation	Pass	types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the	
Reservation Local Authorization List Manageme	Pass	types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users.	
Reservation	Pass Pass	types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering	
Reservation Local Authorization List Manageme	Pass Pass	types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a	
Reservation Local Authorization List Manageme	Pass Pass	types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a Charging Station. This can be used for	
Reservation Local Authorization List Manageme	Pass Pass	types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a	

Test Report OCPP 1.6 Certification

Page 1 from 4

Station.



Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	60s	00:00:23	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	30s	00:00:05	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	30s	00:00:01	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	COSTEL Co.,Ltd
DUT / SUT	Charging Station
Communication	JSON
Туре	CEC-1020BC
OCPP Software version	V1.0.2
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set			
Feature	Configuration		
Socket(s) / connector(s)	Multiple		
Fixed cable	<yes></yes>		
Communication technology	Ethernet		
RFID readers	Single		

	Non-OCPP Charge Point	Configuration
Configuration key		Value
<>		<>



Configuration key AllowOfflineTxForUnknownId AuthorizationCacheEnabled AuthorizeRemoteTxRequests BlinkRepeat ClockAlignedDataInterval ConnectionTimeOut Value FALSE FALSE 900 60	
AllowOfflineTxForUnknownId FALSE AuthorizationCacheEnabled - AuthorizeRemoteTxRequests FALSE BlinkRepeat - ClockAlignedDataInterval 900	
AuthorizeRemoteTxRequests FALSE BlinkRepeat - ClockAlignedDataInterval 900	
BlinkRepeat - ClockAlignedDataInterval 900	
BlinkRepeat - ClockAlignedDataInterval 900	
ClockAlignedDataInterval 900	
ConnectorPhaseRotation NotApplicable	
ConnectorPhaseRotationMaxLength -	
GetConfigurationMaxKeys 5	
HeartbeatInterval 20	
LightIntensity -	
Local Authorize Offline FALSE	
LocalPreAuthorize FALSE	
MaxEnergyOnInvalidId -	
MessageTimeout -	
MeterValuesAlignedData Energy.Active.Import.Reg	ster
MeterValuesAlignedDataMaxLength 6	
Energy.Active.Import.Registe	
MeterValuesSampledData oltage,Current.Import,Power	
Import,Power.Offered	
MeterValuesSampledDataMaxLength 6	
MeterValueSampleInterval 20	
MinimumStatusDuration 0	
NumberOfConnectors 2	
ResetRetries 1	
StopTransactionMaxMeterValues 1	
StopTransactionOnEVSideDisconnect TRUE	
StopTransactionOnInvalidId TRUE	
StopTxnAlignedData Energy.Active.Import.Reg	ister
StopTxnAlignedDataMaxLength 1	
StopTxnSampledData Energy.Active.Import.Regist	er,SoC
StopTxnSampledDataMaxLength 1	
Core, Firmware Management	,LocalA
SupportedFeatureProfiles uthListManagement,Reserv	ation,S
martCharging,RemoteTri	gger
SupportedFeatureProfilesMaxLength -	
TransactionMessageAttempts 10	
Transaction Message Retry Interval 60	
UnlockConnectorOnEVSideDisconnect FALSE	
WebSocketPingInterval 45	
LocalAuthListEnabled TRUE	
LocalAuthListEnabled TRUE	
LocalAuthListMaxLength 10	
LocalAuthListMaxLength 10 SendLocalListMaxLength 10	
LocalAuthListMaxLength 10 SendLocalListMaxLength 10 ReserveConnectorZeroSupported FALSE	
LocalAuthListMaxLength 10 SendLocalListMaxLength 10 ReserveConnectorZeroSupported FALSE ChargeProfileMaxStackLevel 3	
LocalAuthListMaxLength 10 SendLocalListMaxLength 10 ReserveConnectorZeroSupported FALSE ChargeProfileMaxStackLevel 3 ChargingScheduleAllowedChargingRateUnit Ampère	
LocalAuthListMaxLength 10 SendLocalListMaxLength 10 ReserveConnectorZeroSupported FALSE ChargeProfileMaxStackLevel 3 ChargingScheduleAllowedChargingRateUnit Ampère ChargingScheduleMaxPeriods 5	
LocalAuthListMaxLength 10 SendLocalListMaxLength 10 ReserveConnectorZeroSupported FALSE ChargeProfileMaxStackLevel 3 ChargingScheduleAllowedChargingRateUnit Ampère ChargingScheduleMaxPeriods 5 ConnectorSwitch3to1PhaseSupported -	
LocalAuthListMaxLength 10 SendLocalListMaxLength 10 ReserveConnectorZeroSupported FALSE ChargeProfileMaxStackLevel 3 ChargingScheduleAllowedChargingRateUnit Ampère ChargingScheduleMaxPeriods 5	

Page **3** from **4**



Statement of Approval

Vendor		Date: 2024.04.08
Name	Sae rom, Kim	Signature
Company	COSTEL Co.,Ltd	/
Department	R&D Center	6.
Position	Engineer	/
Location	Seongnam, Korea	·

Test laboratory		Date : 2024.04.08
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	4
Department	Quality Certification Center	
Position	Chief Researcher	
Location	Seoul, Korea	,