OCPP 1.6 Full Certificate



Certificate holder: KEVIT

Certificate number: OCA.0016.0724.CS

Product type: Charging Station

Product designation: DC100A-01-1

OCPP Software version: 1.1

Hardware feature set as stated below

Certification date: April 15, 2024

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol are also covered by this certification.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, April 15, 2024	(KSGA)KEVIT_Test Report_DC100A- 01-1_v1.5

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON Chairman



Abstract of test report

Test Result Summary

rest report	OCFF 1.0	Certification		
Test laboratory:	Korea Smart Grid Association			
Location:	Seoul, Korea			
Test execution location:	KSGA Test Lab			
Test Report Reference:	KSGA-OCPP1.6TEST-059-2024			
Vendor name:	KEVIT			
Device Under Test:	Charging Sta	tion		
Communication:	JSON			
OCPP Software version:	1.1			
Product designation:	DC100A-01-1			
Test Result Summary	/ for the ce	ertified functionalities		
Functionalities	OCPP 1.6	Description		
	Certification			
	Test Results			
Core	Pass	Basic Charging Station functionality		
		for booting, authorization (incl. cache		
		if available), configuration,		
	transactions, remote control.			
Optional features				
0 0 110 11111 10111111100				
Firmware Management	Pass	Support for (remote) firmware		
•	Pass	Support for (remote) firmware update management and diagnostic		
•	Pass	1 1		
Firmware Management		update management and diagnostic log file download.		
•	Pass Pass	update management and diagnostic log file download. Support for Smart Charging (all		
Firmware Management		update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to		
Firmware Management Smart Charging	Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging.		
Firmware Management		update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a		
Firmware Management Smart Charging	Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging.		
Firmware Management Smart Charging Reservation	Pass Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station.		
Firmware Management Smart Charging	Pass Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the		
Firmware Management Smart Charging Reservation	Pass Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing		
Firmware Management Smart Charging Reservation	Pass Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting		
Firmware Management Smart Charging Reservation Local Authorization List Management	Pass Pass Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users.		
Firmware Management Smart Charging Reservation	Pass Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering		
Firmware Management Smart Charging Reservation Local Authorization List Management	Pass Pass Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a		
Firmware Management Smart Charging Reservation Local Authorization List Management	Pass Pass Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a Charging Station. This can be used		
Firmware Management Smart Charging Reservation Local Authorization List Management	Pass Pass Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for		
Firmware Management Smart Charging Reservation Local Authorization List Management	Pass Pass Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from		
Firmware Management Smart Charging Reservation Local Authorization List Management	Pass Pass Pass	update management and diagnostic log file download. Support for Smart Charging (all profile types, including stacking), to control charging. Support for reservation of a connector of a Charging Station. Features to manage a local list in the charging station containing authorization data for whitelisting users. Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for		

Test Report OCPP 1.6 Certification

Page 1 from 4



Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	30s	00:00:17	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	30s	00:00:21	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	10s	00:00:00	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	KEVIT
DUT / SUT	Charging Station
Communication	JSON
Туре	DC100A-01-1
OCPP Software version	1.1
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set			
Feature Configuration			
Socket(s) / connector(s)	Single		
Fixed cable	<yes></yes>		
Communication technology	Wifi, Ethernet		
RFID readers	Single		

	Non-OCPP Charge Point	Configuration
Configuration key		Value
<>		<>

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:

Limit / setting	Value
Device supports sending milliseconds in timestamps.	Yes
timestampsi	



OCPP Charging Station	Configuration	
Configuration key	Value	
AllowOfflineTxForUnknownId	FALSE	
AuthorizationCacheEnabled	FALSE	
AuthorizeRemoteTxRequests	TRUE	
BlinkRepeat	_	
ClockAlignedDataInterval	0	
ConnectionTimeOut	60	
ConnectorPhaseRotation	1.RST	
ConnectorPhaseRotationMaxLength	-	
GetConfigurationMaxKeys	1	
HeartbeatInterval	10	
LightIntensity	-	
LocalAuthorizeOffline	FALSE	
LocalPreAuthorize	TRUE	
MaxEnergyOnInvalidId	-	
MessageTimeout		
MeterValuesAlignedData		
Meter Values Aligned Data Max Length	16	
MeterValuesSampledData MeterValuesSampledData	Energy.Active.Import.Register	
•	16	
Meter Values Sampled Data Max Length Meter Value Sample Interval	1-	
MinimumStatusDuration	180	
	-	
NumberOfConnectors	1	
ResetRetries	3	
StopTransactionMaxMeterValues	16	
StopTransactionOnEVSideDisconnect	TRUE	
StopTransactionOnInvalidId	FALSE	
StopTxnAlignedData	Energy.Active.Import.Register	
StopTxnAlignedDataMaxLength	16	
StopTxnSampledData	Energy.Active.Import.Register	
StopTxnSampledDataMaxLength	16	
	Core,FirmwareManagement,LocalA	
SupportedFeatureProfiles	uthListManagement,Reservation,Sm	
	artCharging,RemoteTrigger	
SupportedFeatureProfilesMaxLength	-	
Transaction Message Attempts	3	
TransactionMessageRetryInterval	10	
UnlockConnectorOnEVSideDisconnect	FALSE	
WebSocketPingInterval	60	
LocalAuthListEnabled	FALSE	
LocalAuthListMaxLength	50	
SendLocalListMaxLength	10	
ReserveConnectorZeroSupported	FALSE	
·	IALSE	
ChargeProfileMaxStackLevel	10	
ChargingScheduleAllowedChargingRateUnit	Ampère & Watt	
ChargingScheduleMaxPeriods	10	
ConnectorSwitch3to1PhaseSupported	-	
MaxChargingProfilesInstalled	10	
SupportedFileTransferProtocols	https	

Page 3 from 4



Statement of Approval

Vendor		Date : 2024.04.15
Name	JaeSeong Kim	Signature
Company	KEVIT	/
Department	R&D Center	
Position	Junior Researcher	$\langle \rangle$
Location	Seoul, Korea	

Test laboratory		Date : 2024.04.15
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	4
Department	Quality Certification Center	
Position	Chief Researcher	
Location	Seoul, Korea	