OCPP 1.6 Subset Certificate



Certificate holder:	PUMPKIN Co., Ltd
Certificate number:	OCA.0016.0733.CS
Product type:	Charging Station
Product designation:	eBAB-240KS-C1B OCPP Software version: 1.8.01 Hardware feature set as stated below
Certification date:	May 24, 2024

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Testing Certification institute, May 24, 2024	KTC2024-00231_Test report_v240516

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON Chairman



Abstract of test report

Test Result Summary

Test Report OCPP 1.6 Certification			
Test laboratory: Korea Testing Certification institute			
Location: Gyeonggi-do Korea			
Test execution location: Gyeonggi-do Korea			
Test Report Reference: KTC2024-00231			
Vendor name: PUMPKIN			
Device Under Test: Charging Station			
Communication: JSON			
OCPP Software version: 1.8.01			
Product designation:	eBAB-240KS-C1B		

Test Result Summary for the certified functionalities			
Functionalities	OCPP 1.6 Certification Test Results	Description	
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.	
Optional features			
Firmware Management	N/A	Support for (remote) firmware update management and diagnostic log file download.	
Smart Charging	N/A	Support for Smart Charging (all profile types, including stacking), to control charging.	
Reservation	N/A	Support for reservation of a connector of a Charging Station.	
Local Authorization List Management	N/A	Features to manage a local list in the charging station containing authorization data for whitelisting users.	
Remote Trigger	N/A	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.	





Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	60 s	00:00:10	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	10 s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	10 s	00:00:01	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	PUMPKIN
DUT / SUT	Charge Point
Communication	JSON
Туре	eBAB-240KS-C1B
OCPP Software version	1.8.01
OCTT version	OCTT 1.6 v1.4.4

Hardware feature set					
Feature Configuration					
Socket(s) / connector(s)	Multiple				
Fixed cable	Yes				
Communication technology	Ethernet				
RFID readers	single				
Non-OCPP Charge Point Configuration					
Configuration key Value					
◇	<				

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:

Limit / setting	Value
Device supports sending milliseconds in timestamps.	Yes

Page 2 from 4



Configuration key	Value
AllowOfflineTxForUnknownId	-
AuthorizationCacheEnabled	-
Authorize Remote Tx Requests	TRUE
BlinkRepeat	-
ClockAlignedDataInterval	0
ConnectionTimeOut	60
ConnectorPhaseRotation	NotApplicable
ConnectorPhaseRotationMaxLength	-
GetConfigurationMaxKeys	10
HeartbeatInterval	30
LightIntensity	
LocalAuthorizeOffline	FALSE
LocalPreAuthorize	FALSE
	FALSE
MaxEnergyOnInvalidId	-
MessageTimeout	-
MeterValuesAlignedData	Energy.Active.Import.Interval
MeterValuesAlignedDataMaxLength	-
Mater Malue a Computer d Data	Voltage,Current.Offered,SoC,Ene
MeterValuesSampledData	gy.Active.Import.Register
MeterValuesSampledDataMaxLength	-
MeterValueSampleInterval	10
MinimumStatusDuration	-
NumberOfConnectors	1
ResetRetries	3
Stop Transaction Max Meter Values	-
StopTransactionOnEVSideDisconnect	TRUE
Stop Transaction On Invalid Id	TRUE
StopTxnAlignedData	Power.Offered,SoC
StopTxnAlignedDataMaxLength	-
Stop Txn Sampled Data	Power.Offered,SoC
StopTxnSampledDataMaxLength	-
SupportedFeatureProfiles	Core
SupportedFeatureProfilesMaxLength	-
TransactionMessageAttempts	3
TransactionMessageRetryInterval	10
UnlockConnectorOnEVSideDisconnect	FALSE
WebSocketPingInterval	-
Local AuthList Enabled	
LocalAuthListMaxLength	_
SendLocalListMaxLength	
ReserveConnectorZeroSupported	
ChargeProfileMaxStackLevel	-
ChargingScheduleAllowedChargingRateUnit	-
ChargingScheduleMaxPeriods	-
ConnectorSwitch3to1PhaseSupported	-
MaxChargingProfilesInstalled	-
SupportedFileTransferProtocols	

Page **3** from **4**



Statement of Approval

Vendor		Date: 2024-05-24
Name	Byun Hyunsuk	Signature
Company	ρυμρκιν	
Department	AI Platform team	HEIGK
Position	Researcher	
Location	Gyeonggi-do, Korea	

Test laboratory			Date: 2024-04-25
Name Sol Cho			Signature
Company	Korea Testing Certification institute	o co t	
Department	EV Charging & Power Transfer Center		6 K h
Position Research engineer			10 -010
Location	Gyeonggi-do, Korea		

Page **4** from **4**