OCPP 1.6 Subset Certificate



Certificate holder: GAON ELECOM Co., Ltd

Certificate number: OCA.0016.0770.CS

Product type: Charging Station

Product designation: KS22-7-01

OCPP Software version: 10.01.01

Hardware feature set as stated below

Certification date: May 23, 2024

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 - Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol covered by this certificate can be found in the abstract of this certificate.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, May 23, 2024	(KSGA)Gaon Elecom_Test Report_KS22-7-01_v1.5

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON Chairman



Abstract of test report

Test Result Summary

Test Report OCPP 1.6 Certification			
	<u>' </u>		
Test laboratory:	Korea Smart Grid Association		
Location:	Seoul, Korea		
Test execution location:	KSGA Test lab		
Test Report Reference:	KSGA-OCPP1.6TEST-071-2024		
Vendor name:	GAON ELECOM Co.,Ltd		
Device Under Test:	Charging Station		
Communication:	JSON		
OCPP Software version:	10.01.01		
Product designation:	KS22-7-01		

Troduct designation.				
Test Result Summary for the certified functionalities				
Functionalities	OCPP 1.6 Certification Test Results	Description		
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.		
Optional features				
Firmware Management	N/A	Support for (remote) firmware update management and diagnostic log file download.		
Smart Charging	N/A	Support for Smart Charging (all profile types, including stacking), to control charging.		
Reservation	N/A	Support for reservation of a connector of a Charging Station.		
Local Authorization List Manageme	N/A	Features to manage a local list in the charging station containing authorization data for whitelisting users.		
Remote Trigger	N/A	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.		

Page 1 from 4



Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	10s	00:00:07	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	5s	00:00:03	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	5s	00:00:02	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	GAON ELECOM Co.,Ltd		
DUT / SUT	Charging Station		
Communication	JSON		
Туре	KS22-7-01		
OCPP Software version	10.01.01		
OCTT version	OCTT 1.6 v1.4.3		

Hardware feature set			
Feature	Configuration		
Socket(s) / connector(s)	Single		
Fixed cable	<yes></yes>		
Communication technology	Mobile Network		
RFID readers	Single		

Non-OCPP Charge Point Configuration		
Configuration key		Value
<>		<>

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:

Limit / setting	Value	
Device supports sending milliseconds in	Yes	
timestamps.		



OCPP Charging Statio	n Configuration		
Configuration key	Yalue		
AllowOfflineTxForUnknownId			
AuthorizationCacheEnabled			
AuthorizeRemoteTxRequests	TRUE		
BlinkRepeat			
ClockAlignedDataInterval	0		
ConnectionTimeOut	60		
ConnectorPhaseRotation	NotApplicable		
ConnectorPhaseRotationMaxLength	i.		
GetConfigurationMaxKeys	10		
HeartbeatInterval	20		
LightIntensity	-		
LocalAuthorizeOffline	FALSE		
LocalPreAuthorize	FALSE		
MaxEnergyOnInvalidId	-		
MessageTimeout			
	Energy.Active.Import.Register,		
MeterValuesAlignedData	Current.Import, Voltage,		
	Power.Active.Import		
MeterValuesAlignedDataMaxLength	4		
reference and established bacare and being th	Energy.Active.Import.Register,		
MeterValuesSampledData	Current.Import, Voltage,		
ivietei valuessai ripiedidata	Power.Active.Import		
Maka-Value - Camala dDak-Mantas - Ali	<u>'</u>		
MeterValuesSampledDataMaxLength	4		
MeterValueSampleInterval	20		
MinimumStatusDuration	-		
NumberOfConnectors	1		
ResetRetries	1		
StopTransactionMaxMeterValues	1000		
StopTransactionOnEVSideDisconnect	TRUE		
StopTransactionOnInvalidId	FALSE		
	Energy.Active.Import.Register,		
StopTxnAlignedData	Current.Import, Voltage,		
	Power.Active.Import		
StopTxnAlignedDataMaxLength	4		
	Energy.Active.Import.Register,		
StopTxnSampledData	Current.Import, Voltage,		
	Power.Active.Import		
StopTxnSampledDataMaxLength	4		
SupportedFeatureProfiles	Core		
SupportedFeatureProfilesMaxLength	-		
TransactionMessageAttempts	3		
TransactionMessageRetryInterval	10		
UnlockConnectorOnEVSideDisconnect	FALSE		
WebSocketPingInterval	1		
Land Arabi (astrophical			
LocalAuthListEnabled	•		
Local AuthList Max Length	-		
SendLocalListMaxLength	-		
ReserveConnectorZeroSupported	-		
ChargeProfileMaxStackLevel	-		
ChargingScheduleAllowedChargingRateUnit			
ChargingScheduleMaxPeriods	-		
ConnectorSwitch3to1PhaseSupported			
MaxChargingProfilesInstalled			
SupportedFileTransferProtocols	-		

Page 3 from 4



Statement of Approval

Vendor		Date: 2024.05.23
Name	BAEK,Se-Bok	Signature
Company	GAON ELECOM Co.,Ltd	
Department	Ministry of Finance	The same of the sa
Position	Manager	
Location	Geoje, Korea	

Test laboratory			Date : 2024.05.23
Name Philip YANG			Signature
Company	Korea Smart Grid Association		1.4
Department	Quality Certification Center		
Position	Chief Researcher		
Location	Seoul, Korea		