OCPP 1.6 Full Certificate



Certificate holder: KEVIT

Certificate number: OCA.0016.0792.CS

Product type: Charging Station

Product designation: AC14B-01-JJ-S2

OCPP Software version: 1.6.30

Hardware feature set as stated below

Certification date: June 4, 2024

This certificate attests that the above mentioned product successfully completed certification testing in conformance with the reference specification OCPP 1.6 – Edition 2 with OCPP 1.6 Errata sheet (v4.0 Release, 2019-10-23). The optional features of the protocol are also covered by this certification.

Test cases have been performed as described in the test report referred to below. The results and remarks can be found in the complete test report.

Applied tests	Performed by / on	Document evidence
Conformance testing according to the test specification referenced by the test report	Korea Smart Grid Association, June 4, 2024	(KSGA)KEVIT_Test Report_AC14B- 01-JJ-S2_v1.5

The abstract of test report in the Annex is an integral part of this certificate. This certificate is valid from the Certification Date specified above. This certificate is only applicable to the product designation described above and permits the use of the OCPP logo as laid down in the OCA certification logo license agreement on this product only.

This certificate shall neither be tendered nor accepted by any party as a guarantee covering quality of a product which includes OCPP. The Open Charge Alliance, and/or its agents, including, inter-alia, test laboratories, disclaim liability for any damages or losses incurred by the certified company or by any other party resulting from reliance on the results of OCPP certification testing.

For the Open Charge Alliance:

ONOPH CARON Chairman



Abstract of test report

Test Result Summary

Test Report OCPP 1.6 Certification				
Test laboratory: Korea Smart Grid Association				
Location: Seoul, Korea				
Test execution location: KSGA Test Lab				
Test Report Reference: KSGA-OCPP1.6TEST-081-2024				
Vendor name: KEVIT				
Device Under Test: Charging Station				
Communication: JSON				
OCPP Software version: 1.6.30				
Product designation: AC14B-01-JJ-S2				

Test Result Summary	for the ce	rtified functionalities
Functionalities	OCPP 1.6 Certification Test Results	Description
Core	Pass	Basic Charging Station functionality for booting, authorization (incl. cache if available), configuration, transactions, remote control.
Optional features		
Firmware Management	Pass	Support for (remote) firmware update management and diagnostic log file download.
Smart Charging	Pass	Support for Smart Charging (all profile types, including stacking), to control charging.
Reservation	Pass	Support for reservation of a connector of a Charging Station.
Local Authorization List Manageme	Pass	Features to manage a local list in the charging station containing authorization data for whitelisting users.
Remote Trigger	Pass	Support for remotely triggering messages that originate from a Charging Station. This can be used for resending messages or for getting the latest information from the Charging Station.

Page 1 from 4



Performance Measurement Results

Name	PICS value	Measured value	Description
OCPP triggered function timeout:	30s	00:00:10	The response time for when waiting for an OCPP function with its corresponding request message. (Firmware update, Diagnostics and Reboot are excluded from this measurement.)
OCPP response timeout:	30s	00:00:01	The response time for when waiting for an OCPP response message.
Response time RemoteStartTransaction:	10s	00:00:00	The response time for the RemoteStartTransaction message.

Test Configuration

Vendor	KEVIT
DUT / SUT	Charging Station
Communication	JSON
Туре	AC14B-01-JJ-S2
OCPP Software version	1.6.30
OCTT version	OCTT 1.6 v1.4.3

Hardware feature set				
Feature Configuration				
Socket(s) / connector(s)	Multiple			
Fixed cable	<yes></yes>			
Communication technology	Ethernet			
RFID readers	One per EVSE			

	Non-OCPP Charge Point	Configuration
Configuration key		Value
<>		<>

All other relevant limits and non-OCPP settings that are relevant for the test laboratory and for the correct functioning of the CSMS:				
Limit / setting Value				
Device supports sending milliseconds in timestamps.	No			



OCPP Charging Station	ı Configuration	
Configuration key	Value	
AllowOfflineTxForUnknownId	FALSE	
AuthorizationCacheEnabled	FALSE	
AuthorizeRemoteTxRequests	TRUE	
BlinkRepeat	-	
ClockAlignedDataInterval	0	
ConnectionTimeOut	60	
ConnectorPhaseRotation	1.RST	
Connector Phase Rotation Max Length	-	
GetConfigurationMaxKeys	1	
HeartbeatInterval	30	
LightIntensity	_	
Local Authorize Offline	FALSE	
LocalPreAuthorize	TRUE	
MaxEnergyOnInvalidId	-	
MessageTimeout	_	
MeterValues Aligned Data	_	
Meter Values Aligned Data Max Length	16	
Meter Values Sampled Data	Energy.Active.Import.Register	
Meter Values Sampled Data Max Length	16	
Meter ValueSampleInterval	0	
MinimumStatusDuration	0	
NumberOfConnectors	2	
ResetRetries	3	
StopTransactionMaxMeterValues	16	
StopTransactionMaxWeter Values StopTransactionOnEVSideDisconnect		
StopTransactionOnLv3ideDisconnect StopTransactionOnInvalidId	TRUE	
StopTxnAlignedData	FALSE	
StopTxnAlignedDataMaxLength	Energy.Active.Import.Register 16	
StopTxnSampledData	Energy.Active.Import.Register	
StopTxnSampledDataMaxLength	16	
StopTXIISampledDataMaxLengtii	Core, Firmware Management, Local Aut	
Supported Feature Profiles		
Supported eather folies	hListManagement,Reservation,Smart	
SupportedFeatureProfilesMaxLength	Charging, Remote Trigger	
TransactionMessageAttempts	3	
TransactionMessageRetryInterval	10	
UnlockConnectorOnEVSideDisconnect		
WebSocketPingInterval	FALSE	
websocketringinterval	60	
Local Auth List Enabled	TRUE	
Local Auth List Max Length	50	
Send Local List Max Length	10	
ReserveConnectorZeroSupported	FALSE	
ChargeProfileMaxStackLevel	10	
ChargingScheduleAllowedChargingRateUnit	Ampère & Watt	
ChargingScheduleMaxPeriods	10	
ConnectorSwitch3to1PhaseSupported	-	
MaxChargingProfilesInstalled	10	
Supported File Transfer Protocols	https	

Page 3 from 4



Statement of Approval

Vendor		Date : 2024.06.04
Name	JaeSeong Kim	Signature
Company	KEVIT	/
Department	R&D Center	
Position	Junior Researcher	$\langle \rangle$
Location	Seoul, Korea	\(\rangle\)

Test laboratory		Date : 2024.06.04
Name	Philip YANG	Signature
Company	Korea Smart Grid Association	4
Department Quality Certification Center		
Position	Chief Researcher	
Location	Seoul, Korea	